

BOARD OF HEALTH MINUTES
September 15, 2020

THE MINUTES HAVE NOT BEEN FORMALLY APPROVED AND ARE SUBJECT TO CHANGE OR MODIFICATION AT THE NEXT REGULARLY SCHEDULED MEETING.

FLAG SALUTE: Led by Chairman Dave Hansen at 7:05 pm.

ROLL CALL: BOARD OF HEALTH MEMBERS - Present: Dave Hansen, Ed Hayes, Sue Rude, Terry Cassidy and Nancie Walker

Also Present: Valerie Ingles, Board of Health Secretary; Sussex County Health Inspector Chrissy Whitehead

Absent: Peggy Bopp & Barbara Horan

STATEMENT – Chairman D. Hansen stated that the meeting was being held in compliance with the provisions of P. L. 1875, Ch. 231, Secs. 4 & 13 the Sunshine Law, adequate notice of the meeting has been published in the New Jersey Herald being the Sunday and Daily editions as to time, place, and date, and is posted in the usual location of posted notices in the municipal building.

CONSENT AGENDA- All items with an Asterisk (*) are considered routine and non-controversial by the committee and will be approved by one motion. There will be no separate discussion of these items unless a citizen or Board Member requests, in which case the item will be removed from the Consent Agenda and considered in its normal sequence on the Agenda.

***MINUTES:** January 21, 2020

***SUSSEX COUNTY HEALTH DEPARTMENT REPORTS FOR MARCH-
AUGUST 2020**

Period from 02/01/2020 to 02/29/2020

Date	Blk/Lot	Facility	Location	Activity
Activity for (1910) Hampton Township				
2/3/2020	3501/30.06	Quick Chek	1 HAMPTON HOUSE RD NEWTON, NJ 07860	FOOD B2S/Retail Food Establishments - Facilities Re-Inspected - Satisfactory (Thomas Bailey)
2/5/2020	/	FRIENDLY'S	9 HAMPTON HOUSE ROAD	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Davey)
2/5/2020	/	HO HO V	21 HAMPTON HOUSE ROAD	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Davey)
2/13/2020	3501/30.04	Villa Capri	27 HAMPTON HOUSE RD NEWTON, NJ 07860	FOOD B1C/Retail Food Establishments - Facilities Inspected - Conditional (Thomas Bailey)
2/27/2020	2702/4	Rollin With Our Hoagies	87 HALSEY RD NEWTON, NJ 07860	FOOD B1S/Retail Food Establishments - Facilities Inspected - Satisfactory (Christine Whitehead)
				Total Food: 5

2/3/2020	304/1		60 EAST SHORE DR	DWR G4B/Septic Inspections - Excavation (Thomas Bailey)
2/4/2020	304/1		60 EAST SHORE DR	DWR G4C/Septic Inspections - Suitable Fill/Disposal (Thomas Bailey)
2/6/2020	304/1		60 EAST SHORE DR	DWR G4E/Septic Inspections - Final (Thomas Bailey)
2/6/2020	901/8.15		25 BLUEBERRY HILL RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
2/6/2020	3202/45		39 PLOTS RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
2/7/2020	1001/7.02		19 KEMAH-MECCA LAKE RD	DWR G1I/Septic Intake (Tyann Acevedo)
2/11/2020	607/12		5 N BAYBERRY RD	DWR G1I/Septic Intake (Tyann Acevedo)

Period from 02/01/2020 to 02/29/2020

Date	Blk/Lot	Facility	Location	Activity
2/13/2020	304/1		60 EAST SHORE DR	DWR G4F/Septic Inspections - Grading (Thomas Bailey)
2/14/2020	3501/44.02		12 Hampton Downes	DWR G1N/Septic Reviews Septic New (Adam Boltz)
2/14/2020	506/8		9 LONE PINE TR	DWR G4A/Septic Inspections - Soil Log (Thomas Bailey)
2/14/2020	506/8		9 LONE PINE TR	DWR G4A/Septic Inspections - Soil Log (Thomas Bailey)
2/18/2020	3401/3		204 SHAW RD	DWR G1I/Septic Intake (Tyann Acevedo)
2/18/2020	2601/7.01		88 CR 521	DWR G1R/Septic Reviews Repair (Joseph Farinella)
2/18/2020	3202/50		10 SHAMROCK TR	DWR G4A/Septic Inspections - Soil Log (Thomas Bailey)
2/18/2020	3202/50		10 SHAMROCK TR	DWR G4A/Septic Inspections - Soil Log (Thomas Bailey)
2/20/2020	304/1		60 east Shore Road	DWR G5AM/Certificate of Compliance - Wastewater with Maintenance (Thomas Bailey)
2/20/2020	304/1		60 east shore road	DWR G1AB/Septic Reviews As Builts (Thomas Bailey)
2/20/2020	304/1		60 east shore road	DWR G1EC/Septic Reviews Engineers Certs (Thomas Bailey)
2/20/2020	2601/7.01		88 RT 521	DWR GP/Pipe Repair (Thomas Bailey)
2/20/2020	304/1		60 east shore road	DWR G7A/Wastewater Correspondence (Thomas Bailey)
2/21/2020	1001/7.02		19 kemah mecca lake road	DWR G1A/Septic Reviews Alter (Joseph Farinella)
2/24/2020	2601/7.01		88 route 521	DWR G1I/Septic Intake (Maureen Slack)

Period from 02/01/2020 to 02/29/2020

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
2/25/2020	901/8.15		25 BLUEBERRY HILL RD	DWR G4A/Septic Inspections – Soil Log (Thomas Bailey)
2/25/2020	901/8.15		25 BLUEBERRY HILL RD	DWR G4A/Septic Inspections – Soil Log (Thomas Bailey)
2/25/2020	3503/18		336 Longview Acres Court	DWR G1R/Septic Reviews Repair (Joseph Farinella)
2/25/2020	3503/18		336 Longview Acres Court	DWR G1I/Septic Intake (Maureen Slack)
2/25/2020	102/60		8 Walpack Drive	DWR G1I/Septic Intake (Maureen Slack)
2/26/2020	3005/7		88 Crescent Drive	OPRA SDS/Information Request - Septic System-Parcel (Maureen Slack)
2/26/2020	1601/1		253 Fairview Avenue	DWR G1AM/Septic Reviews Alter with Maintenance (Joseph Farinella)
2/26/2020	607/12		5 North Bayberry Road	DWR G1A/Septic Reviews Alter (Joseph Farinella)
2/27/2020	3106/2		124 HAMPTON HSE RD RT 206	DWR G1I/Septic Intake (Tyann Acevedo)
2/27/2020	302.01/56		11 plaza drive	DWR G1AM/Septic Reviews Alter with Maintenance (Joseph Farinella)
2/28/2020	801/8		58 POSSAGHI RD	DWR G4A/Septic Inspections – Soil Log (Thomas Bailey)
2/28/2020	3106/2		124 Hampton house road	DWR G1R/Septic Reviews Repair (Joseph Farinella)
				Total Septic: 34
2/13/2020	1001/4		41 KEMAH-MECCA LAKE RD	DWR G6B/Well Line & Seal (Thomas Bailey)
				Total Well: 1

Period from 02/01/2020 to 02/29/2020

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
2/14/2020	3105/21	Suburban Propane LLC	Route 206 N	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Anita DeMatteo)
2/21/2020	2901/4		412 LONGVIEW DR	UST B2/Spills/Storage Tank - Low Environmental Concern Case (Thomas Bailey)
2/24/2020	2901/4		412 LONGVIEW DR	UST C1/Spills/Storage Tank - Complaint Investigations - DEP Referral (Thomas Bailey)
				Total Other: 3
				Total for February 2020
				43

Period from 03/01/2020 to 03/31/2020

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
Activity for (1910) Hampton Township				
3/4/2020	3501/12	KFC Restaurant	21 Hampton House Road	FOOD C1/Retail Food Establishments - Complaint Investigation (Thomas Bailey)
3/12/2020	3301/19	Sacred Heart Retreat Center	20 OLD SWARTSWOOD RD HAMPTON, NJ	FOOD B1S/Retail Food Establishments - Facilities Inspected - Satisfactory (Christine Whitehead)
3/19/2020	/	Windy Acres - Doug Smith	973-650-3693	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
3/24/2020	/	Tractor Supply		FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
3/26/2020	3105/1.03	Tractor Supply Company #2435	135 HAMPTON HOUSE RD NEWTON, NJ 07860	FOOD B1S/Retail Food Establishments - Facilities Inspected - Satisfactory (Christine Whitehead)
				Total Food: 5

3/1/2020	2501/2		10 Chanwood	DWR G1/Septic Intake (Maureen Slack)
3/2/2020	2806/9		305 KNOLL RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
3/2/2020	506/8		9 LONE PINE TR	DWR G1/Septic Intake (Tyann Acevedo)
3/2/2020	2002/7		16 west lakeside lane	DWR G1RN/Septic Reviews Renewal (Joseph Farinella)
3/2/2020	2002/7		16 west lakeside lane	DWR G1/Septic Intake (Maureen Slack)
3/3/2020	607/12		5 N BAYBERRY RD	DWR G4B/Septic Inspections - Excavation (Thomas Bailey)
3/4/2020	3401/3		104 shaw road	DWR G1A/Septic Reviews Alter (Joseph Farinella)

Period from 03/01/2020 to 03/31/2020

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
3/4/2020	3106/2		124 HAMPTON HSE RD RT 206	DWR GT/Septic Tank Replacement (Thomas Bailey)
3/5/2020	1604/1		297 LAKEVIEW DR	DWR G1RN/Septic Reviews Renewal (Tyann Acevedo)
3/5/2020	607/12		5 N BAYBERRY RD	DWR G4C/Septic Inspections - Suitable Fill/Disposal (Thomas Bailey)
3/6/2020	3503/18		336 LONGVIEW ACRES CT	DWR GDB/D Box Inspection (Thomas Bailey)
3/9/2020	2901/1		1004 Hillside Avenue	DWR G1R/Septic Reviews Repair (Joseph Farinella)
3/9/2020	3016/1		1 Hampton Drive	DWR G4C/Septic Inspections - Suitable Fill/Disposal (Thomas Bailey)
3/9/2020	2901/1		1004 Hillside Avenue	DWR G1/Septic Intake (Maureen Slack)
3/10/2020	801/8		58 Possaghi Road	DWR G1/Septic Intake (Maureen Slack)
3/10/2020	901/8.15		25 Blueberry Hill	DWR G1/Septic Intake (Maureen Slack)
3/10/2020	2001/10		25 W LAKESIDE LN	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
3/10/2020	3014/15		57 CYPRESS DR	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
3/11/2020	607/12		5 N BAYBERRY RD	DWR G4E/Septic Inspections - Final (Thomas Bailey)
3/11/2020	3202/1.13		3 Doe Run	DWR G1/Septic Intake (Maureen Slack)
3/11/2020	3401/3		204 Shaw Road	DWR G4B/Septic Inspections - Excavation (Thomas Bailey)
3/12/2020	3401/3		204 shaw road	DWR G4F/Septic Inspections - Grading (Thomas Bailey)

Period from 03/01/2020 to 03/31/2020

Date	Blk/Lot	Facility	Location	Activity
3/12/2020	3401/3		204 shaw road	DWR G4C/Septic Inspections – Suitable Fill/Disposal (Thomas Bailey)
3/12/2020	3016/1		1 Hampton Drive	DWR G4E/Septic Inspections – Final (Thomas Bailey)
3/12/2020	3016/1		1 Hampton Drive	DWR G7/Septic Tank Replacement (Thomas Bailey)
3/12/2020	3202/1.13		1 doe run	DWR G1R/Septic Reviews Repair (Joseph Farinella)
3/12/2020	3401/3		204 shaw road	DWR G4E/Septic Inspections – Final (Thomas Bailey)
3/13/2020	607/12		5 N BAYBERRY RD	DWR G4F/Septic Inspections – Grading (Thomas Bailey)
3/16/2020	2701/10		973 Fairview Lake Road	DWR G1A/Septic Reviews Alter (Joseph Farinella)
3/16/2020	1703/6		286 FAIRVIEW AVE	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
3/16/2020	101/12.02		18 MOUNTAIN RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
3/16/2020	3105/20.04		Halsey Road	DWR G1I/Septic Intake (Maureen Slack)
3/17/2020	3401/3		204 Shaw Road	DWR G1AB/Septic Reviews As Builts (Thomas Bailey)
3/17/2020	3401/3		204 shaw road	DWR G1EC/Septic Reviews Engineers Certs (Thomas Bailey)
3/17/2020	3401/3		204 shaw road	DWR G7A/Wastewater Correspondence (Thomas Bailey)
3/17/2020	3105/1		125 HAMPTON HOUSE RD	DWR G4F/Septic Inspections – Grading (Thomas Bailey)
3/17/2020	3401/3		204 shaw road	DWR G7A/Wastewater Correspondence (Thomas Bailey)

Period from 03/01/2020 to 03/31/2020

Date	Blk/Lot	Facility	Location	Activity
3/17/2020	3105/1		125 HAMPTON HOUSE RD	DWR G4F/Septic Inspections – Grading (Thomas Bailey)
3/17/2020	3202/1.13		3 DOE RUN	DWR GDB/D Box Inspection (Thomas Bailey)
3/18/2020	801/15		60 POSSAGHI RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
3/18/2020	506/8		9 Lone Pine Trail	DWR G1AM/Septic Reviews Alter with Maintenance (Joseph Farinella)
3/19/2020	3105/1		125 HAMPTON HOUSE RD	DWR G1EC/Septic Reviews Engineers Certs (Thomas Bailey)
3/19/2020	3105/1		125 HAMPTON HOUSE RD	DWR G5A/Certificate of Compliance - Wastewater (Thomas Bailey)
3/19/2020	3105/1		125 HAMPTON HOUSE RD	DWR G1AB/Septic Reviews As Builts (Thomas Bailey)
3/19/2020	801/8		58 possaghi road	DWR G1EC/Septic Reviews Engineers Certs (Joseph Farinella)
3/20/2020	2901/1		1004 HILLSIDE AVE	DWR GDB/D Box Inspection (Thomas Bailey)
3/23/2020	2501.01/24		24 CHANDOGA DR	DWR G1I/Septic Intake (Tyann Acevedo)
3/24/2020	2501.01/24		24 chandoga drive	DWR G1R/Septic Reviews Repair (Joseph Farinella)
3/24/2020	1703/6		286 fairview avenue	DWR G1A/Septic Reviews Alter (Joseph Farinella)
3/24/2020	1703/6		286 FAIRVIEW AVE	DWR G1I/Septic Intake (Tyann Acevedo)
3/24/2020	3001/3		305 LAKEWOOD TERR	DWR G4A/Septic Inspections – Soil Log (Candice Morgan)
3/26/2020	3202/15		6 YETTER RD	DWR G4A/Septic Inspections – Soil Log (Candice Morgan)

Period from 03/01/2020 to 03/31/2020

Date	Blk/Lot	Facility	Location	Activity
3/27/2020	3501/14.06		93 Route 519	DWR G1/Septic Intake (Maureen Slack)
3/30/2020	1703/6		286 Fairview Avenue	DWR GDB/D Box Inspection (Thomas Bailey)
				Total Septic: 54
3/10/2020	1502/6		Horseshoe Drive	DWR G2/Well Intake (Maureen Slack)
3/10/2020	1502/6		Horseshoe Drive	DWR G2/Well Intake (Maureen Slack)
				Total Well: 2
3/2/2020	/	Kittatinny Regional High School	1910327	DWR B1/Water Pollution - Sample Analysis Review - Potable Supply (Marcia Chirico)
3/4/2020	/	Hampton Township Municipal Building	1910331	DWR B1/Water Pollution - Sample Analysis Review - Potable Supply (Marcia Chirico)
3/4/2020	/	Hampton Township Senior Center	1910307	DWR B1/Water Pollution - Sample Analysis Review - Potable Supply (Marcia Chirico)
3/5/2020	2702/16.03	Kittatinny Regional High School, 1910327	77 Halsey Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
3/6/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/9/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/9/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)

Period from 03/01/2020 to 03/31/2020

Date	Blk/Lot	Facility	Location	Activity
3/9/2020	3501/37	Lowe's, 1910340	Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/10/2020	2702/16.03	Kittatinny Regional High School/Indoor Pool	77 Halsey Road	BATH B1/Bathing Places - Facilities Inspected (Christine Whitehead)
3/11/2020	2702/16.03	Kittatinny Regional High School, 1910327	77 Halsey Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
3/11/2020	3603/29.01	Toyota World, 1910313	66 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/12/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A1/Safe Water - Facility - Non-Transient System (Dan Pelt)
3/12/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Dan Pelt)
3/12/2020	3501/37	Lowe's, 1910340	39 Hampton House Road	SDW A1/Safe Water - Facility - Non-Transient System (Dan Pelt)
3/12/2020	3501/37	Lowe's, 1910340	39 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Dan Pelt)
3/12/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/13/2020	901/14	Next Generation Ministries of Greater NJ	10 ALDERSGATE LN	OPRA GEN/Information Request - General Information (Thomas Bailey)
3/13/2020	901/12	Next Generation Ministries of Greater NJ	1 MARY JONES RD	OPRA GEN/Information Request - General Information (Thomas Bailey)
3/13/2020	901/35	Next Generation Ministries of Greater NJ	1 BLUEBERRY HILL RD	OPRA GEN/Information Request - General Information (Thomas Bailey)
3/13/2020	1502/17		279 LAKEVIEW DR	PHN C1/Public Health Nuisance - Complaint Investigation (Thomas Bailey)

Period from 03/01/2020 to 03/31/2020

Date	Blk/Lot	Facility	Location	Activity
3/13/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/13/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/13/2020	901/13	Next Generation Ministries of Greater NJ	9 MARY JONES RD	OPRA GEN/Information Request - General Information (Thomas Bailey)
3/16/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/16/2020	/	Kittatinny Regional High School	1910327	DWR B1/Water Pollution - Sample Analysis Review - Potable Supply (Marcia Chirico)
3/16/2020	/	Northwest Christian School	1910328	DWR B1/Water Pollution - Sample Analysis Review - Potable Supply (Marcia Chirico)
3/16/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/17/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/17/2020	3603/29.01	Toyota World, 1910313	66 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/17/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/19/2020	3501/30.03	A. C. Moore	17 Hampton House Road	PHN C1/Public Health Nuisance - Complaint Investigation (Thomas Bailey)
3/19/2020	3105/1	Tractor Supply, PWSID Pending	135 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Dan Pelt)
3/19/2020	3105/1	Tractor Supply, PWSID Pending	135 Hampton House Road	SDW A2/Safe Water - Facility - Transient System (Dan Pelt)
3/21/2020	3501/37	Lowe's, 1910340	Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)

Period from 03/01/2020 to 03/31/2020

Date	Blk/Lot	Facility	Location	Activity
3/24/2020	3501/37	Lowe's, 1910340	Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/24/2020	3501/37	Lowe's, 1910340	39 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/25/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/26/2020	3501/37	Lowe's, 1910340	39 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/30/2020	3603/25.12	Walmart, 1910337	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/31/2020	3105/1	Tractor Supply, PWSID Pending	135 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
3/31/2020	3105/1	Tractor Supply	165 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)

Total Other: 41

Total for March 2020

102

Period from 04/01/2020 to 04/30/2020

Date	Blk/Lot	Facility	Location	Activity
Activity for (1910) Hampton Township				
4/16/2020	3603/25.12	Dunkin Donuts	26 Hampton House Road	FOOD D1/Retail Food Establishments - Facilities Correspondence (Brittany Dix)
4/23/2020	3501/31	Villa Capri	27 Hampton House Road	FOOD C1/Retail Food Establishments - Complaint Investigation (Christine Whitehead)
4/23/2020	/	Mike Collins-Villa Capri		FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
4/29/2020	/	Doug Smith-Windy Acres Campground		FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
				Total Food: 4
4/3/2020	901/8.15		25 BLUEBERRY HILL RD	DWR G1A/Septic Reviews Alter (Adam Boltz)
4/6/2020	3202/15		6 YETTER RD	DWR G1/Septic Intake (Tyann Acevedo)
4/6/2020	2501.01/24		24 CHANDOGA DR	DWR GDB/D Box Inspection (Christine Whitehead)
4/6/2020	102/60		6 WALPACK DR	DWR G1AM/Septic Reviews Alter with Maintenance (Joseph Farinella)
4/6/2020	2501.01/2		10 CHANWOOD DR	DWR G1A/Septic Reviews Alter (Anita DeMatteo)
4/23/2020	2603/5.01		78 HALSEY RD	DWR G1/Septic Intake (Tyann Acevedo)
4/23/2020	2603/5.01		78 Halsey Road	DWR G1/Septic Intake (Tyann Acevedo)
4/24/2020	901/2		71 Possaghi Road	DWR G1/Septic Intake (Maureen Slack)

Period from 04/01/2020 to 04/30/2020

Date	Blk/Lot	Facility	Location	Activity
				Total Septic: 8
4/3/2020	1503/10		338 Lakeview Avenue	DWR G2/Well Intake (Maureen Slack)
				Total Well: 1
4/2/2020	1502/17		279 LAKEVIEW DR	PHN C2/Public Health Nuisance - Complaint Investigation Follow-up (Thomas Bailey)
4/2/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
4/7/2020	2702/16.03	Suzanne Freund	77 HALSEY RD	BATH D1/Bathing Places - Correspondence (Christine Whitehead)
4/13/2020	/	omcoop@hotmail.com; info@kemahlake.com	Kemah Lake	BATH D1/Bathing Places - Correspondence (Christine Whitehead)
4/13/2020	/	Doreen Binns, boardofdirectors@crandonlakes.org	Crandon Lakes	BATH D1/Bathing Places - Correspondence (Christine Whitehead)
4/15/2020	3603/9.01	SUSSEX IMPORTS CORP.	66 HAMPTON HOUSE ROAD	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Thomas Bailey)
4/15/2020	3501/44.01	JR ROOF MCGUIRE CHEVROLET CADILLAC	63 HAMPTON HOUSE ROAD	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Thomas Bailey)
4/16/2020	1905/2	Windy Acres, 1910303		SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
4/16/2020	3603.07/4	SWNJ HAMPTON	31 EAGLE DRIVE	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Thomas Bailey)
4/16/2020	3602/5.02	INTERCAR, INC.	92 HAMPTON HOUSE ROAD	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Thomas Bailey)

Period from 04/01/2020 to 04/30/2020

Date	Blk/Lot	Facility	Location	Activity
4/17/2020	3501/43	GASARAMA OF NEWTON, LLC	51 ROUTE 206 SOUTH	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Thomas Bailey)
4/17/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
4/17/2020	3501/44.04	SUSSEX IMPORTS, INC.	57 HAMPTON HOUSE ROAD	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Thomas Bailey)
4/22/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
4/27/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
4/27/2020	3603/29.01	Toyota World, 1910313	66 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)

Total Other: 16

Total for April 2020 29

Period from 05/01/2020 to 05/31/2020

Date	Blk/Lot	Facility	Location	Activity
Activity for (1910) Hampton Township				
5/5/2020	3202/12		12 YETTER RD	DWR G1/Septic Intake (Maureen Slack)
5/7/2020	3011/4		2 CLEARVIEW CI	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
5/15/2020	3202/50		10 Shamrock Trail	DWR G1/Septic Intake (Maureen Slack)
5/18/2020	2205/25		2 WOODCLIFF TR	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
5/19/2020	506/8		9 LONE PINE TR	DWR G5A/Certificate of Compliance - Wastewater (Candice Morgan)
5/19/2020	506/8		9 LONE PINE TR	DWR G1AB/Septic Reviews As Builts (Candice Morgan)
5/19/2020	79.01/10		24 Eagles Nest Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
5/19/2020	506/8		9 LONE PINE TR	DWR G1EC/Septic Reviews Engineers Certs (Candice Morgan)
5/20/2020	1801.01/43		29 IKE WILLIAMS RD	DWR G1A/Septic Reviews Alter (Tyann Acevedo)
5/21/2020	2603/5.01		78 HALSEY RD	DWR G1RV/Septic Reviews Revision (Tyann Acevedo)
5/22/2020	2501/8.05		3 BEAR LN	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
5/27/2020	3603/14		52 HAMPTON HSE RD RT 206	DWR G1I/Septic Intake (Maureen Slack)
				Total Septic: 12
5/11/2020	2602/2.04		8 GARRETT DR	DWR G6B/Well Line & Seal (Maureen Theese)

Period from 05/01/2020 to 05/31/2020

Date	Blk/Lot	Facility	Location	Activity
5/28/2020	1503/10		338 LAKEVIEW DR	DWR G6B/Well Line & Seal (Candice Morgan)
				Total Well: 2
5/7/2020	/	Windy Acres	294 Newton Swartswood Road	CAMP B1/Public Campgrounds - Facilities Inspected (Christine Whitehead)
5/10/2020	/	Dairy Queen	PWSID 1910320	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
5/10/2020	/	Windy Acres	PWSID 1910303	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
5/11/2020	2603/5.01		78 HALSEY RD	DWR D1/Water Pollution - Correspondence - Non Enforcement (Anita DeMatteo)
5/12/2020	2501/3		2 PERAGINO RD	SWM-NF C1/Solid Waste - Non Facility - Complaint Investigation - NJDEP Referral (Candice Morgan)
5/19/2020	3603/9.01	Newton Toyota	66 HAMPTON HSE RD RT 206	DEQ-N C2/Noise - Complaint Investigation - Citizen Complaint (Maureen Theese)
5/19/2020	3501/82	SCARC, Inc., 1910342	4 Camre Drive	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
5/19/2020	3603/10	Newton Veterinary	62 HAMPTON HSE RD RT 206	DEQ-N C2/Noise - Complaint Investigation - Citizen Complaint (Maureen Theese)
5/22/2020	3501/82	SCARC, Inc., 1910342	4 Camre Drive	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
				Total Other: 9
Total for May 2020				23

Period from 06/01/2020 to 06/30/2020

Date	Blk/Lot	Facility	Location	Activity
Activity for (1910) Hampton Township				
6/5/2020	/	Jeff Angle - 973-903-9757	Three Silos Farm	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
6/16/2020	/	Friendly's of Newton	Friendly's Car Cruise	FOOD A1/Retail Food Establishments - Plan Review (Christine Whitehead)
6/16/2020	/	Jessica Curuso	Hampton Park	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
6/24/2020	/	Doug Smith	Windy Acres	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
				Total Food: 4
6/1/2020	3001/16		327 LAKEWOOD TERR	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
6/3/2020	501/1		2 LOWER LAKE WEST	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
6/8/2020	504/17		24 LONE PINE TR	DWR G1/Septic Intake (Tyann Acevedo)
6/9/2020	2205/25		2 WOODCLIFF TR	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
6/10/2020	3802/2		6 HAMPTON HEIGHTS RD	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
6/16/2020	901/2.07		59 POSSAGHI RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
6/17/2020	907/3		35 SHORE DR	DWR G1AB/Septic Reviews As Builts (Maureen Theese)
6/17/2020	907/3		35 SHORE DR	DWR G1EC/Septic Reviews Engineers Certs (Maureen Theese)

Period from 06/01/2020 to 06/30/2020

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
6/17/2020	907/3		35 SHORE DR	DWR G5A/Certificate of Compliance - Wastewater (Maureen Theese)
6/22/2020	3202/50		10 SHAMROCK TR	DWR G1RV/Septic Reviews Revision (Tyann Acevedo)
6/24/2020	2001/10		25 W LAKESIDE LN	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
6/25/2020	302.01/56		11 PLAZA DR	DWR G5A/Certificate of Compliance - Wastewater (Candice Morgan)
6/25/2020	302.01/56		11 PLAZA DR	DWR G1AB/Septic Reviews As Builts (Candice Morgan)
6/25/2020	302.01/56		11 PLAZA DR	DWR G1EC/Septic Reviews Engineers Certs (Candice Morgan)
6/25/2020	1402/3		219 LAKEVIEW DR	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
6/30/2020	3202/15		6 YETTER RD	DWR G1EC/Septic Reviews Engineers Certs (Maureen Theese)
6/30/2020	3202/15		6 YETTER RD	DWR G1AB/Septic Reviews As Builts (Maureen Theese)
6/30/2020	3202/15		6 YETTER RD	DWR G5A/Certificate of Compliance - Wastewater (Maureen Theese)
				Total Septic: 18

6/2/2020	/	Sister Ramona	Camp Auxilium	BATH D1/Bathing Places - Correspondence (Christine Whitehead)
6/3/2020	/	Sister Ramona	Camp Auxilium	BATH D1/Bathing Places - Correspondence (Christine Whitehead)
6/11/2020	1801.01/33		147 RT 521	WELL B3/Water System - Plan Review - (Tyann Acevedo)
6/12/2020	3501/82	SCARC, Inc., 1910342	4 Camre Drive	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)

Period from 06/01/2020 to 06/30/2020

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
6/15/2020	1601/21	Kemah Lake	Big Beach	BATH A3/Bathing Places - Pre-operational Checklist Review (Thomas Bailey)
6/15/2020	1401/3	Kemah Lake	Small Beach	BATH A3/Bathing Places - Pre-operational Checklist Review (Thomas Bailey)
				Total Other: 6

Total for June 2020 **28**

Period from 07/01/2020 to 07/31/2020

Date	Blk/Lot	Facility	Location	Activity
Activity for (1910) Hampton Township				
7/1/2020	/	Faye Paskis-Mobile Food Question	24 Sid Taylor Road	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
7/13/2020	/	Wendy Russell - Left Message	Kittatinny Cougars	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
7/17/2020	3501/30.08	Friendly's Car Cruise (Weekly) Friday & Saturday	9 HAMPTON HSE RD RT 206	FOOD 12K/Retail Food Establishments - Field Investigation (Candice Morgan)
7/25/2020	3501/30.08	Friendly's of Newton	Route 206	FOOD B5/Retail Food Establishments - Facilities Inspected - Temp (Candice Morgan)
				Total Food: 4
7/2/2020	510/46		26 COPELEY RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
7/3/2020	1602/14		8 waterside way	DWR G1I/Septic Intake (Maureen Slack)
7/6/2020	2702/6		4 CHURCH RD	DWR G3/Building Addition (Tyann Acevedo)
7/6/2020	2702/6		4 CHURCH RD	DWR G1I/Septic Intake (Tyann Acevedo)
7/8/2020	510/46		26 COPELEY RD	DWR G1I/Septic Intake (Tyann Acevedo)
7/8/2020	2702/9		8 Church Road	DWR G1I/Septic Intake (Maureen Slack)
7/8/2020	2702/6		4 Church Road	DWR G3/Building Addition (Maureen Theese)
7/10/2020	1801.01/43		29 IKE WILLIAMS RD	DWR G1AB/Septic Reviews As Builts (Candice Morgan)

Period from 07/01/2020 to 07/31/2020

Date	Blk/Lot	Facility	Location	Activity
7/10/2020	2702.01/1		57 HALSEY RD	DWR G4G/Septic Home Inspection Report Review (Thomas Bailey)
7/10/2020	1801.01/43		29 IKE WILLIAMS RD	DWR G1EC/Septic Reviews Engineers Certs (Candice Morgan)
7/10/2020	1801.01/43		29 IKE WILLIAMS RD	DWR G5A/Certificate of Compliance - Wastewater (Candice Morgan)
7/13/2020	2702/1.01		4 CHELSEA CT	DWR G1I/Septic Intake (Tyann Acevedo)
7/14/2020	2704/3		20 FOREST DR	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
7/15/2020	510/46		26 COPELEY RD	DWR GDB/D Box Inspection (Melissa McGill)
7/17/2020	2601/8.01		38 HALSEY RD	DWR G1I/Septic Intake (Tyann Acevedo)
7/18/2020	3001/3		305 Lakewood Terrace	DWR G1I/Septic Intake (Maureen Slack)
7/20/2020	1202/1.01		126 MARY JONES RD	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
7/21/2020	3801/11		19 HAMPTON HEIGHTS RD	DWR G1I/Septic Intake (Tyann Acevedo)
7/21/2020	1502/15		3 BLUE HERON LN	DWR G1I/Septic Intake (Tyann Acevedo)
7/21/2020	2702/1.01		57 Halsey Road	DWR GDB/D Box Inspection (Maureen Theese)
7/22/2020	2705/3		4 MAPLE TERR	DWR G1I/Septic Intake (Tyann Acevedo)
7/23/2020	2601/8.01		38 HALSEY RD	DWR GT/Septic Tank Replacement (Melissa McGill)
7/23/2020	2501/8.05		3 BEAR LN	DWR G1I/Septic Intake (Tyann Acevedo)

Period from 07/01/2020 to 07/31/2020

Date	Blk/Lot	Facility	Location	Activity
7/23/2020	3801/11		19 HAMPTON HEIGHTS RD	DWR GDB/D Box Inspection (Melissa McGill)
7/24/2020	2705/3		4 MAPLE TERR	DWR GDB/D Box Inspection (Maureen Theese)
7/27/2020	1502/15		3 BLUE HERON LN	DWR GT/Septic Tank Replacement (Denise Webb)
7/27/2020	801/7		96 KEMAH-MECCA LAKE RD	DWR G1/Septic Intake (Tyann Acevedo)
7/27/2020	2704/3		20 FOREST DR	DWR G1/Septic Intake (Tyann Acevedo)
7/29/2020	2501/8.05		3 BEAR LN	DWR GDB/D Box Inspection (Maureen Theese)
7/29/2020	2501/8.05		3 BEAR LN	DWR GT/Septic Tank Replacement (Maureen Theese)
7/30/2020	2704/3		20 FOREST DR	DWR GDB/D Box Inspection (Elaine Martinez)
7/31/2020	2704/10		6 FOREST DR	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
				Total Septic: 32
7/7/2020	3501/31	Villa Capri	27 HAMPTON HSE RD RT 206	PHN C1/Public Health Nuisance - Complaint Investigation (Thomas Bailey)
7/24/2020	/	Rubenacker	Toyota, 1910313	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
7/28/2020	/	Dairy Queen, 1910320	T PNC	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
7/28/2020	/	Windy Acres, 1910303	T PNC	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
7/28/2020	/	Hampton Convenience, 1910323	T PNC	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)

Period from 07/01/2020 to 07/31/2020

Date	Blk/Lot	Facility	Location	Activity
7/29/2020	401/9	Crandon Lakes, West Beach	32 West Shore Drive	BATH B1/Bathing Places - Facilities Inspected (Thomas Bailey)
7/29/2020	402/29	Crandon Lakes, East Beach	48 East Shore Drive	BATH B1/Bathing Places - Facilities Inspected (Thomas Bailey)
7/29/2020	3603/29.01	Toyota World, 1910313	66 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
7/31/2020	3105/20.04		HALSEY ROAD	WELL B3/Water System - Plan Review - (Tyann Acevedo)
				Total Other: 9

Total for July 2020 **45**

Period from 08/01/2020 to 08/31/2020

Date	Blk/Lot	Facility	Location	Activity
Activity for (1910) Hampton Township				
8/10/2020	/	Three Silos Farm		FOOD A1/Retail Food Establishments - Plan Review (Christine Whitehead)
8/12/2020	3501/30.03	Bed Bath & Beyond	17 HAMPTON HSE RD RT 206	FOOD B4/Retail Food Establishments - Out of Business (Christine Whitehead)
8/12/2020	/	John Snowden	McKeown School	FOOD D1/Retail Food Establishments - Facilities Correspondence (Christine Whitehead)
8/12/2020	3501/30.03	AC Moore	17 HAMPTON HSE RD RT 206	FOOD B4/Retail Food Establishments - Out of Business (Christine Whitehead)
8/31/2020	2702/16.03	Kittatinny Regional High School	77 Halsey Road	FOOD C1/Retail Food Establishments - Complaint Investigation (Christine Whitehead)

Total Food: 5

8/14/2020	1708/29		7 walnut street	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
8/19/2020	2501/16		275 NEWTON-SWARTSWOOD RD	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
8/20/2020	1602/14		8 WATERSIDE WAY	DWR G5A/Certificate of Compliance - Wastewater (Melissa McGill)
8/20/2020	1602/14		8 WATERSIDE WAY	DWR G1AB/Septic Reviews As Builts (Melissa McGill)
8/20/2020	1602/14		8 WATERSIDE WAY	DWR G1EC/Septic Reviews Engineers Certs (Melissa McGill)
8/20/2020	2704/10		6 FOREST DR	DWR G1I/Septic Intake (Tyann Acevedo)
8/24/2020	1901/11.04		129 Frank Chandler ROAD	DWR G1I/Septic Intake (Maureen Slack)
8/24/2020	203/22		18 OLD WOOD LN	DWR G1I/Septic Intake (Tyann Acevedo)

Period from 08/01/2020 to 08/31/2020

Date	Blk/Lot	Facility	Location	Activity
8/26/2020	302.01/67		29 PLAZA DR	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
8/26/2020	3016/1		1 HAMPTON DR	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
8/28/2020	2704/10		6 FOREST DR	DWR GB/Baffle Repair (Maureen Theese)

Total Septic: 11

8/18/2020	1502/6		18 Horse Shoe Drive	DWR G6B/Well Line & Seal (Dane Dvorak)
8/24/2020	2602/2.18		Logan Way	DWR G2I/Well Intake (Maureen Slack)

Total Well: 2

8/10/2020	3603/2	Carriage Acres Trailer Complex	18 RT 94	PHN C1/Public Health Nuisance - Complaint Investigation (Elaine Martinez)
8/11/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
8/19/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
8/20/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
8/21/2020	2702/16.04	Hampton Township Municipal Park, 1910333	Municipal Complex Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
8/24/2020	3603/22	Newton Audi	34 Hampton House Road	UST B2/Spills/Storage Tank - Low Environmental Concern Case (Anita DeMatteo)

Period from 08/01/2020 to 08/31/2020

Date	Blk/Lot	Facility	Location	Activity	Total Other: 6
Total for August 2020					24

APPROVAL OF THE CONSENT AGENDA

A MOTION was made by T. Cassidy and seconded by E. Hayes, with all members in favor, to approve the January 21, 2020 meeting minutes.

Sussex County Health Department Report for March-August 2020

Chairman D. Hansen asked that the Sussex County Health Department Reports be removed from the Consent Agenda.

T. Cassidy requested that the following be removed from the Consent Agenda for further consideration: Safe Water Complaint Investigation on 3/11/2020 at Kittatinny Regional High School (KRHS), Complaint Investigation on 3/13/2020 & 4/2/2020 at 279 Lakeview Drive, Complaint Investigation on 3/19/2020 at AC Moore, Complaint Investigation on 4/23/2020 at Villa Capri, Safe Water Complaint Investigation on 5/10/2020 at Dairy Queen, Safe Water Complaint Investigation on 5/10/2020 at Windy Acres Campground, Complaint Investigation on 5/12/2020 at 2 Peragino Rd, Noise Complaint on 5/19/2020 at Newton Toyota, 5/19 SCARC, and Noise Complaint on 5/19/2020 at Newton Vet.

Chairman D. Hansen requested that the Complaint Investigation at Carriage Acres on 8/10/2020, the Complaint Investigation at Hampton Township Municipal Park on 8/11/2020-8/21/2020, and the Storage Tank Spill at Newton Audi on 8/24/2020 be removed from the Consent Agenda for further consideration.

Safe Water Complaint Investigation at KRHS on 3/11/2020

Health Inspector C. Whitehead stated that these were water tests done at KRHS but that she didn't have the full report from M. Cherico so she would report back with the findings and email them to the Board of Health members at a later date.

Complaint Investigation at 279 Lakeview Drive on 3/13/2020 & 4/2/2020

Health Inspector C. Whitehead stated that this was a trash complaint. She stated that this house is a rental and that garbage was observed in bags on the deck which could attract bears. Health Inspector T. Bailey spoke with the tenant and asked to keep food garbage in covered container inside the house until garbage pickup day if necessary and to keep empty plastic bottles in a separate bin for recycling.

Complaint Investigation at A.C. Moore on 3/19/2020

Health Inspector C. Whitehead stated that someone called in to report that the Management at A.C. Moore is doing nothing to protect employee's and cleaning the store properly. They requested that something be done and asked to follow up on inspecting. She stated that Health Inspector T. Bailey spoke with the manager on the phone and emphasized the need to keep hand soap and running hot and cold water available in restroom for the employees. The manager stated that AC Moore has running water, soap and a hand dryer available for employees. The store will be closing permanently in a week.

Complaint Investigation at Villa Capri on 4/23/2020

Health Inspector C. Whitehead stated that the complainant called in to report that Villa Capri is not complying with the Governor's ruling to wear face masks and have a barrier up. Health Inspector C. Whitehead spoke with the owner, Mike Collins. He stated that he was unaware of the recent requirement to have all employees & customers wear face coverings. He was referred to Executive Order 125 and advised him to become aware of all requirements there.

Safe Water Complaint Investigation at Dairy Queen & Windy Acres Campground on 5/10/2020

Health Inspector C. Whitehead stated that this was correspondence with Marcia Chirico. She had received the State's list of seasonal PNC systems that she had to follow up with. She needed to check with Dairy Queen & Windy Acres Campground to verify that they were not open due to COVID19 restrictions and that they notified the State that they were not opening on schedule otherwise violation would have gotten triggered if they did not sample for the month of April. They both complied with what they needed to do as far as notifying the State.

Complaint Investigation at 2 Peragino Road on 5/11/2020

Health Inspector C. Whitehead stated that this was a reporting that someone has illegally dumped construction debris and equipment in a wetlands area. She stated that Candace Morgan inspected and found various household debris strewn throughout the yard including but not limited to: plastic buckets, aluminum ladders, cut fire wood, blue tarp, 4 parked cars with license plates, riding lawn mower, push mower, plow blade, approx. 10 2x4 pine boards, chain link dog enclosure. There was no tall vegetation and most items appear to have been stored there for 6 months or less. The items observed to not appear to be waste. Observed additional gravel/dirt driveway that extended up the hill at the end of the paved street. This additional driveway was barricaded with a steel cattle gate that was pad locked and chained and posted with multiple signs reading "no trespassing", "keep out". Property was in-accessible beyond the gate. Called complainant's number to obtain additional information but complainant said he received an anonymous email and unfortunately he has no further information available. No further action required at this time.

Noise Complaint at Newton Toyota on 5/19/2020

Health Inspector C. Whitehead stated that the complainant stated that there was pumping of waste water early in the morning and that they were mowing the lawn early in the morning on Sunday. M. Theese contacted the manager of Newton Toyota. She advised that a noise complaint was received and that Hampton has a noise ordinance to schedule the pumping of waste water and to do landscaping later in the day.

Safe Water Complaint Investigation at SCARC on 5/19/2020

Health Inspector C. Whitehead stated that SCARC is on the EPA ETT list for failure to provide test results for Lead and Copper that quarter. It was a notice to them to make sure they do their testing soon.

Noise Complaint at Newton Vet on 5/19/2020

Health Inspector C. Whitehead stated that this was an additional complaint made by the same person for Toyota stating that their dumpster trash pickup was being done at 6:30am. Maureen Theese spoke with Newton Vet and asked that they have their garbage hauler pick up garbage later in the day.

Complaint Investigation at Carriage Acres on 8/10/2020

Health Inspector C. Whitehead stated that this complaint was from a resident who said she had no hot water, and mouse feces in her trailer. Elaine Martinez from the Health Department was in contact with management at Carriage Acres to get this addressed.

Complaint Investigation at Hampton Park on 8/11/2020-8/21/2020

Chairman D. Hansen stated that there are issues with the well water testing again. He stated that the new well was drilled a couple years ago but has failed for e-coli or total coliform or both at the same time. He stated that the township may need to look into a treatment system to add on such as a blue light.

Storage Tank Spill at Newton Audi on 8/24/2020

Secretary V. Ingles stated that the incident description stated that a waste oil tank was leaking outside. There were “rags and speedy dry” around the tank but the caller said it didn’t look like it was working. It stated that there were 5 gallons of oil waste estimated. The NJDEP is assigned to the case.

ITEMS REMOVED FROM CONSENT AGENDA FOR DISCUSSION

A **MOTION** was made by S. Rude and seconded by E. Hayes, with all members in favor, to approve the items that were removed from the Consent Agenda as listed above.

OLD BUSINESS

No Old Business.

NEW BUSINESS

No New Business.

CORRESPONDENCE

**1. STATE OF NEW JERSEY, DEP LETTER- Suspected Hazardous Substance
Discharge Notification**

Chairman D. Hansen stated that this was already discussed under reports.

PUBLIC SESSION

Public Session Open. No Public Comment. Public Session Closed.

ADJOURNMENT

A MOTION was made by S. Rude, and seconded by Vice Chairwoman N. Walker, with all members in favor, to adjourn the meeting at 7:30 PM.

Respectfully submitted by,

Valerie L. Ingles
Board of Health Secretary