

Board of Health Minutes December 6, 2022

THE MINUTES HAVE NOT BEEN FORMALLY APPROVED AND ARE SUBJECT TO CHANGE OR MODIFICATION AT THE NEXT REGULARLY SCHEDULED MEETING.

FLAG SALUTE Led by Chairman Dave Hansen at 7:05 P.M.

ROLL CALL **Board of Health Members – Present:** Terry Cassidy, Chairman Dave Hansen, Ed Hayes, Barbara Horan, and Sue Rude. **Absent:** Nancie Walker

Also Present: John McDonough, Sussex County Health Department Official; Diana Juarez, Board of Health Secretary

STATEMENT: Chairman D. Hansen stated that this meeting is being held in compliance with the provisions of P.L. 1975, Ch. 231, 4 & 13 of the Sunshine Law and that adequate & electronic notice of said meeting has been published in the New Jersey Herald being the Daily & Sunday editions as to time, place, and date, and is posted in the usual locations of posted notices in the municipal building.

CONSENT AGENDA– All items with an Asterisk (*) are considered routine and non-controversial by the Board and will be approved by one motion. There will be no separate discussion of these items unless a citizen or Board Member requests, in which case the item will be removed from the Consent Agenda and considered in its normal sequence on the Agenda.

***MINUTES:** July 19, 2022

*** SUSSEX COUNTY HEALTH DEPARTMENT PUBLIC HEALTH NURSING
MONTHLY MUNICIPAL REPORT AUGUST 2022, SEPTEMBER 2022, AND
OCTOBER 2022**

APPROVAL OF THE CONSENT AGENDA

A MOTION was made by S. Rude and seconded by T. Cassidy, with all members in favor, to approve the July 19, 2022 meeting minutes.

MINUTES: July 19, 2022

A MOTION was made by T. Cassidy and seconded by E. Hayes, with all members in favor, to approve the Sussex County Health Department Public Health Nursing Monthly Municipal Reports for August, September, and October 2022.

**SUSSEX COUNTY HEALTH DEPARTMENT PUBLIC HEALTH NURSING
MONTHLY MUNICIPAL REPORT AUGUST 2022, SEPTEMBER 2022, AND
OCTOBER 2022**

ITEMS REMOVED FROM CONSENT AGENDA FOR DISCUSSION

No items were removed from the Consent Agenda for discussion.

OLD BUSINESS

1. 12 Glenbrook Dr

Sussex County Health Department Official J. McDonough updated the Board of Health members on the continuing failed septic system at 12 Glenbrook Dr. The landlord, S. Begraft was issued an additional summons. The court date is set for December 21, 2022. Currently, no documentation has been provided confirming the septic system was repaired. If S. Begraft provides the documentation the septic system has been repaired, the case will be dismissed. At this time, the Sussex County Department of Health has not received any permits for repairing of the septic system.

Sussex County Health Department Official J. McDonough briefly discussed S. Begraft is also the owner of 10 Glenbrook Dr. S. Begraft was issued a Notice of Violation for 10 Glenbrook Dr. The septic system malfunctioned when an individual ran a lawn mower over the electrical portion of the septic system and the tank over flowed into the street. S. Begraft was issue a Stop Work Order when an attempt was made to repair the septic system with a store purchased sump pump. Additionally, there is no maintenance contract on the unit. If the septic system does not get repaired, it will get lumped into 12 Glenbrook Drive's pending court case.

2. Lead-Based Paint Inspections in Rental Dwelling Units – Chapter 182

Chairman D. Hansen asked Sussex County Health Department Official J. McDonough how the County was addressing the Lead-Based Paint Law. J. McDonough stated the County is leaving the Lead-Based Paint Law up to each municipality. The County does not have the manpower or funds available to address the law.

Chairman D. Hansen stated he is seeing other towns implementing the law through their Construction Departments. When Certificates of Occupancy are received, the Construction Department verifies the year built of the home and can then enforce the Lead-Based Paint Law. Chairman D. Hansen stated Secretary D. Juarez attached email correspondence from clerks in Sussex County discussing also leaving the Lead-Based Paint Law to be enforced through the Construction Department. Chairman D. Hansen will make this suggestion to the Township Committee and will discuss the law further at the next Township Committee meeting.

NEW BUSINESS

1. TOWNSHIP OF HAMPTON AN ORDINANCE REDUCING THE NUMBER OF MEMBERS ON THE HAMPTON TOWNSHIP BOARD OF HEALTH

Chairman D. Hansen stated speaking with Secretary. D. Juarez in regards to addressing the cancellation of Board of Health meetings due to lack of quorum. Secretary D. Juarez spoke to Township Attorney F. McGovern and he suggested the Board of Health reduce its board members to five instead of seven. Reducing the number of members on the Board of Health would allow for a majority of three members to be present versus the current majority of four. The Township Committee introduced the Ordinance on October 25, 2022 and the Ordinance was adopted November 29, 2022. The Ordinance takes effect January 1, 2023.

2. NJDEP WETLAND SEPTIC REPAIR PERMIT B3501 L43

Chairman D. Hansen stated the Board of Health received an application for Wetland Septic Permit from the NJ DEP. The location for the wetland septic system repair is Gas-A-Rama and Hampton Automotive. Normally, if no response is made from the NJ DEP in 30-days, the County can then issue the permit for repairing of a septic system in a wetland area. Sussex County Health Department Official stated the septic systems are done through Anita and would assume it has been handled. If it was an issue, J. McDonough would have been notified.

CORRESPONDENCE

1. Sussex County Health Department Reports for June 2022, July 2022, August 2022, September 2022, and October 2022.

A MOTION was made by T. Cassidy and seconded by S. Rude, with all members in favor to approve the June 2022 Sussex County Health Department Report.

Chairman D. Hansen asked Sussex County Health Department Official J. McDonough about the Public Health Nuisance complaint at 39 Hampton House Rd. on July 25, 2022. J. McDonough stated there is an area of land located between Lowes and Dr. Zika's office that had an overgrowth of grass. There is a contract agreement between the two locations stating Lowes is responsible for the maintenance of the grass. Due to limited activity at Dr. Zika's business, Lowes assumed Dr. Zika's office was no longer open. Dr. Zika's office was and still is open. The complaint has been resolved and Lowes is maintaining the grassy parcel between the two locations.

A MOTION was made by T. Cassidy and seconded by B. Horan, with all members in favor, to approve the July 2022 Sussex County Health Department Report.

Chairman D. Hansen asked J. McDonough about a Public Health Nuisance Complaint at 22 Hampton House Rd. on August 9, 2022. J. McDonough stated a customer who was at Burger

King filed a complaint that the water had a sulfur taste. J. McDonough indicated the pipes for the water needed to be replaced. J. McDonough inspected Burger King a week later and the pipes were remediated.

A MOTION was made by T. Cassidy and seconded by S. Rude, with all members in favor, to approve the August 2022 Sussex County Health Department Report.

Chairman D. Hansen inquired on a Solid Waste complaint at address 70 Plotts Rd. on September 20, 2022. Sussex County Health Department Official J. McDonough said a complaint was received from a nearby residence pertaining to the owner of 70 Plotts Rd. having a large amount of wood outside the address. The owner stated the wood was being laid out for aging and weathering purposes. J. McDonough did speak with Hampton Township Zoning Official B. Huber and there are no zoning regulations prohibiting the owner from leaving the wood outside.

Board of Health Members briefly discussed the Public Health Nuisance Complaint at 88 Spirol Rd. on September 13, 2022. Chairman D. Hansen stated the complaint was for illegal dumping and has been rectified.

A MOTION was made by S. Rude and seconded by T. Cassidy, with all members in favor, to approve the September 2022 Sussex County Health Department Report.

Board of Health Members asked about a complaint at 5 Hampton House Rd., Pet Smart, on October 11, 2022 regarding an Animal Facility Operation Complaint and two Solid Waste follow up visits by the Sussex County Health Department. J. McDonough said the complaint involved an overflow of waste in a dog waste bin. The issue has been addressed and resolved.

Chairman D. Hansen inquired on a hazmat complaint on October 21, 2022 at 92 Hampton House Rd., Mercedes-Benz of Newton. J. McDonough stated he received a complaint that the business was improperly disposing of oil into a garbage can. J. McDonough investigated the complaint. He addressed the business about the proper way of disposing of oils. Upon inspecting, J. McDonough did not see any oils being improperly disposed of in the trash cans.

A MOTION was made by T. Cassidy and seconded by E. Hayes, with all members in favor to approve the October 2022 Sussex County Health Department Report.

Date Blk/Lot	Facility	Location	Activity	#Type!
Activity for 1910 Hampton Twp.				
6/15/2022 2702/4	HAMPTON TWP MUN BUILDING	1 RUMSEY WAY	SDW D2/Inspection Compliance Letter (Anita DeMatteo)	
6/10/2022 /	Hampton Day Chefs LLC		FOOD A3/Retail Food Establishments - Plan Review - Temporary (Christine Whitehead)	
6/11/2022 2702/16.03	Hampton Day	1 Rumsey Way	FOOD B5/Retail Food Establishments - Facilities Inspected - Temp (Candice Morgan)	
6/20/2022 /	Tactor Supply Knights of Columbus		FOOD A3/Retail Food Establishments - Plan Review - Temporary (Christine Whitehead)	
				Total Food: 3
6/1/2022 102/60		6 Walpack Drive Hampton	DWR G5G/Septic Maintenance Contract Review (John McDonough)	
6/7/2022 2906/4		611 HEMLOCK DR	DWR G1I/Septic Intake (Josephine Sweetman)	
6/8/2022 2906/4		611 HEMLOCK DR	DWR G1R/Septic Reviews Repair (Maureen Theese)	
6/8/2022 2501/10.01		255 Newton Swartswood Road	DWR G4G/Septic Home Inspection Report Review (John McDonough)	
6/8/2022 2207/9		158 RIDGE ROAD	DWR G4A/Septic Inspections - Soil Log (John McDonough)	
6/8/2022 2207/9		158 RIDGE ROAD	DWR G4A/Septic Inspections - Soil Log (John McDonough)	
6/10/2022 203/19		5 WOOD CT	DWR G4A/Septic Inspections - Soil Log (John McDonough)	
6/10/2022 203/19		5 WOOD CT	DWR G4A/Septic Inspections - Soil Log (John McDonough)	

Period from 06/01/2022 to 6/30/2022

December 6 2022

Date	Blk/Lot	Facility	Location	Activity
6/10/2022	203/19		5 WOOD CT	DWR G4A/Septic Inspections - Soil Log (John McDonough)
6/14/2022	504/1		37 EAST SHORE DR	DWR G4A/Septic Inspections - Soil Log (John McDonough)
6/16/2022	1710/10		111 FENNER RD	DWR G1I/Septic Intake (Josephine Sweetman)
6/20/2022	2702/1.05		115 KINGS RD	DWR G1I/Septic Intake (Josephine Sweetman)
6/20/2022	1710/10		111 FENNER RD	DWR G1AM/Septic Reviews Alter with Maintenance (Zachary Faola)
6/20/2022	3011/4		2 Clearview Circle	DWR G4G/Septic Home Inspection Report Review (John McDonough)
6/21/2022	2702/1.05		115 KINGS RD	DWR G1R/Septic Reviews Repair (Maureen Theese)
6/22/2022	2906/4		611 HEMLOCK DR	DWR GP/Pipe Repair (John McDonough)
6/22/2022	510/10		19 Eastbrook Lane	DWR G4G/Septic Home Inspection Report Review (John McDonough)
6/28/2022	505/2		39 LONE PINE TR	DWR G1A/Septic Reviews Alter (Joseph Farinella)
6/28/2022	1504/1		296 LAKEVIEW DR	DWR G1R/Septic Reviews Repair (Maureen Theese)
6/29/2022	3302/1		21 OLD SWARTSWOOD RD	DWR G1I/Septic Intake (Josephine Sweetman)
6/27/2022	1801.01/32.01		133 RT 521	DWR G2I/Well Intake (Josephine Sweetman)
				Total Septic: 20

Period from 06/01/2022 to 6/30/2022

Date	Blk/Lot	Facility	Location	Activity
6/28/2022	1801.01/32.01		133 RT 521	DWR G2/Well Intake
6/28/2022	1801.01/32.01		133 RT 521	(Josephine Sweetman) DWR G2/Well Reviews
				(Maureen Theese)
				Total Well: 3
6/1/2022	3603/21	Hampton Diner	36 HAMPTON HSE RD RT 206	SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (John McDonough)
6/1/2022	3501/30.03	Dollar Tree	17 HAMPTON HSE RD RT 206	SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (John McDonough)
6/1/2022	3501/30.09	Home Goods	5 HAMPTON HSE RD RT 206	SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (John McDonough)
6/1/2022	3501/30.10	Marshall's	3 Hampton House Road	SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (John McDonough)
6/6/2022	506/14		12 GLENBROOK DRIVE	PHN C1/Public Health Nuisance - Complaint Investigation (John McDonough)
6/7/2022	602/16		60 LONE PINE TR	PHN A1/Public Health Nuisance - Complaint Received (John McDonough)
6/13/2022	/	HAMPTON TWP MUNICIPAL BUILDING	1 RUMSEY WAY	SDW D1/Safe Water - Correspondence (Melissa McGill)
6/20/2022	401/9	Crandon Lakes West Branch	37 WEST SHORE DR	BATH A3/Bathing Places - Pre-operational Checklist Review (John McDonough)
6/20/2022	402/29	Crandon Lakes East Branch	48 EAST SHORE DR	BATH A3/Bathing Places - Pre-operational Checklist Review (John McDonough)
6/20/2022	702.01/3		61 Halsey Road	PHN A1/Public Health Nuisance - Complaint Received (John McDonough)
6/28/2022	3603/25.10	KFC	12 HAMPTON HSE RD RT 206	SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (Christine Whitehead)

December 6 2022

Period from 06/01/2022 to 6/30/2022

Date	Blk/Lot	Facility	Location	Activity
6/28/2022	/	Kemah Lake Small	213 Lakeview Drive	BATH B1/Bathing Places - Facilities Inspected (John McDonough)
6/28/2022	/	Kemah Lake Big	Edgewater Road	BATH B1/Bathing Places - Facilities Inspected (John McDonough)
6/28/2022	3501/30.06	Quick Check	1 HAMPTON HSE RD RT 206	SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (Christine Whitehead)
6/28/2022	3603/25.12	Walmart		SWM-BB A1/Solid Waste - Bag Ban - Bag Ban Inspection (Christine Whitehead)
				Total Other: 15

Total for June 2022 42

December 6 2022

Date Blk/Lot Facility
Activity for 1910 Hampton Twp.

Location

Activity

#Type!

Total Food: 1

7/6/2022 3603603/9. Toyota World of Newton
01

66 Hampton House Road

SDW D2/Inspection Compliance Letter

(Anita DeMatteo)

7/15/2022 3105/1.03 Prime House DirectCountry Fresh Farms

FOOD A1/Retail Food Establishments - Plan Review
(Melissa McGill)

7/11/2022 3302/1

21 OLD SWARTSWOOD RD

DWR G1R/Septic Reviews Repair
(Candice Morgan)

7/11/2022 1601/13

235 FAIRVIEW AVE

DWR G3/Building Addition
(Josephine Sweetman)

7/15/2022 2702/1.05

115 KINGS RD

DWR GDB/D Box Inspection
(Gary Bielen)

7/16/2022 504/1

37 EAST SHORE DR

DWR G1I/Septic Intake
(Jennifer Pignataro)

7/18/2022 1504/1

296 LAKEVIEW DR

DWR GB/Baffle Repair
(John McDonough)

7/18/2022 1706/32

18 LAKETOP DR

DWR G4G/Septic Home Inspection Report Review
(John McDonough)

7/18/2022 1706/31

20 Laketop Drive

DWR G5G/Septic Maintenance Contract Review
(John McDonough)

7/11/2022 2602/2.16

5 TANNER CT

DWR G1I/Septic Intake
(Jennifer Pignataro)

7/12/2022 504/1

37 EAST SHORE DR

DWR G1AM/Septic Reviews Alter with Maintenance
(Zachary Faiola)

7/12/2022 2602/2.16

5 TANNER CT

DWR G1N/Septic Reviews Septic New
(Joseph Farinella)

Period from 07/01/2022 to 7/31/2022

December 6 2022

Date	Blk/Lot	Facility	Location	Activity
7/13/2022	2207/9		158 RIDGE RD	DWR G1I/Septic Intake (Josephine Sweetman)
7/13/2022	1603/11		230 FAIRVIEW AVE	DWR G1AB/Septic Reviews As Builts (Gary Bielen)
7/13/2022	1603/11		230 FAIRVIEW AVE	DWR G1EC/Septic Reviews Engineers Certs (Gary Bielen)
7/13/2022	1603/11		230 FAIRVIEW AVE	DWR G5A/Certificate of Compliance - Wastewater (Gary Bielen)
7/14/2022	2207/9		158 RIDGE RD	DWR G1AM/Septic Reviews Alter with Maintenance (Joseph Farinella)
7/14/2022	1901/5.04		22 RT 521	DWR G4A/Septic Inspections - Soil Log (John McDonough)
7/14/2022	1901/5.04		22 RT 521	DWR G4A/Septic Inspections - Soil Log (John McDonough)
7/15/2022	3302/1		21 OLD SWARTSWOOD RD	DWR GDB/D Box Inspection (John McDonough)
7/15/2022	302/4		63 WEST SHORE DR	DWR G4A/Septic Inspections - Soil Log (John McDonough)
7/18/2022	1501/1		7 HORSESHOE DR	DWR G1I/Septic Intake (Josephine Sweetman)
7/19/2022	3104/8		103 HALSEY RD	DWR G1AB/Septic Reviews As Builts (John McDonough)
7/19/2022	3104/8		103 HALSEY RD	DWR G1EC/Septic Reviews Engineers Certs (John McDonough)
7/19/2022	3104/8		103 HALSEY RD	DWR G5A/Certificate of Compliance - Wastewater (John McDonough)
7/20/2022	1501/1		7 HORSESHOE DR	DWR G1AM/Septic Reviews Alter with Maintenance (Joseph Farinella)
7/22/2022	3105/9.01		115 RT 519	DWR G5G/Septic Maintenance Contract Review (John McDonough)

Date Blk/Lot	Facility	Location	Activity
7/26/2022 3504/1		308 LONGVIEW ACRES CT	DWR G1/Septic Intake (Jennifer Pignataro)
7/27/2022 3501/24		67 RT 519	DWR G4A/Septic Inspections – Soil Log (John McDonough)
7/28/2022 1604/1		297 LAKEVIEW DR	DWR G4G/Septic Home Inspection Report Review (John McDonough)
			Total Septic: 28
7/26/2022 203/19		5 WOOD CT	DWR G2/Well Intake (Josephine Sweetman)
7/27/2022 3301/2		90 PLOTTS RD	DWR G2/Well Intake (Jennifer Pignataro)
7/28/2022 3301/2		90 PLOTTS RD	DWR G2/Well Reviews (Candice Morgan)
7/29/2022 1801.01/32.01		133 RT 521	DWR G6B/Well Line & Seal (John McDonough)
			Total Well: 4
7/13/2022 402/29	Crandon Lakes East Lake Beach	48 EAST SHORE DR	BATH B1/Bathing Places - Facilities Inspected (John McDonough)
7/13/2022 401/9	Crandon Lakes West Lake Beach	37 WEST SHORE DR	BATH B1/Bathing Places - Facilities Inspected (John McDonough)
7/14/2022 3606.01/20.03			BATH D1/Bathing Places - Correspondence (John McDonough)
7/20/2022 /	Camp Auxilium	14 Old Swartzwood Rd	BATH B1/Bathing Places - Facilities Inspected (John McDonough)
7/25/2022 3501/37		39 HAMPTON HSE RD RT 206	PHN C1/Public Health Nuisance - Complaint Investigation (John McDonough)

Period from 07/01/2022 to 7/31/2022

Date Blk/Lot	Facility	Location	Activity
			Total Other: 5
			Total for July 2022 39

December 6 2022

Sussex County Division of Health Inspection Report
for the Period 8/1/2022-8/31/2022
Filters: Town 1910

December 6 2022

Date Inspector Code Type of Inspection

Facility/Address

Town: 1910

8/4/2022 John McDonough BATH B1 Bathing Places - Facilities Inspected

Hampton Commons Pool
46 Oriole Terrace (no Block/Lot)

Town: 1910 Block: 1706 Lot: 32 Loc: 18 LAKETOP DR

8/3/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/23/2022 Jennifer Pignataro DWR G1I Septic Intake

Comment: Alt ATU

Town: 1910 Block: 1710 Lot: 10 Loc: 111 FENNER RD

8/30/2022 Elaine Detweiler DWR G5A Certificate of Compliance - Wastewater

8/30/2022 Elaine Detweiler DWR G1EC Septic Reviews Engineers Certs

8/30/2022 Elaine Detweiler DWR G1AB Septic Reviews As Builts

Town: 1910 Block: 180.01 Lot: 26

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

Town: 1910 Block: 180.01 Lot: 26.01

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/4/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/8/2022 John McDonough DWR G4A Septic Inspections – Soil Log

Date Inspector Code Type of Inspection

Facility/Address

Town: 1910 Block: 180.01 Lot: 26.02

8/8/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/8/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/8/2022 John McDonough DWR G4A Septic Inspections – Soil Log

Town: 1910 Block: 1901 Lot: 5.04 Loc: 22 RT 521

8/2/2022 Jennifer Pignataro DWR G1I Septic Intake

Comment: Alt ATU

8/3/2022 Joseph Farinella DWR G1AM Septic Reviews Alter with Maintenance

Comment: Alt ATU

Town: 1910 Block: 203 Lot: 19 Loc: 5 WOOD CT

8/1/2022 Jennifer Pignataro DWR G1I Septic Intake

Comment: Alt Grav

Town: 1910 Block: 2702 Lot: 16.03 Loc: 77 HALSEY RD NEWTON, NJ 07860

8/30/2022 Christine Whitehead FOOD B1S Retail Food Establishments - Facilities Inspected - Satisfactory

Kittatinny Football Association

Town: 1910 Block: 2905 Lot: 26 Loc: 620 HEMLOCK DR

8/29/2022 John McDonough DWR G4A Septic Inspections – Soil Log

8/29/2022 John McDonough DWR G4A Septic Inspections – Soil Log

Town: 1910 Block: 3001 Lot: 18 Loc: 331 LAKEWOOD TERR

8/17/2022 John McDonough DWR D1 Water Pollution - Correspondence - Non Enforcement

8/17/2022 John McDonough DWR G4G Septic Home Inspection Report Review

Town: 1910 Block: 302 Lot: 4 Loc: 63 WEST SHORE DR

8/11/2022 Jennifer Pignataro DWR G1I Septic Intake

December 6 2022

Sussex County Division of Health Inspection Report
for the Period 8/1/2022-8/31/2022
Filters: Town 1910

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>	<u>Facility/Address</u>
8/15/2022	Joseph Farinella	DWR G1A	Septic Reviews Alter	
Comment: Alt Grav				
Town: 1910 Block: 3105 Lot: 23 Loc: 189 HALSEY RD				
8/29/2022	Melissa McGill	SDW D1	Safe Water - Correspondence	
8/3/2022	John McDonough	FOOD B1S	Retail Food Establishments - Facilities Inspected - Satisfactory	Hampton Twp. Fire & Rescue
Town: 1910 Block: 3501 Lot: 24 Loc: 67 RT 519				
8/19/2022	Josephine Sweetman	DWR G1I	Septic Intake	
Comment: Alt ATU				
8/24/2022	Joseph Farinella	DWR G1AM	Septic Reviews Alter with Maintenance	
Comment: Alt ATU				
Town: 1910 Block: 3504 Lot: 1				
8/12/2022	John McDonough	DWR GT	Septic Tank Replacement	
Town: 1910 Block: 3603 Lot: 25.06 Loc: 22 HAMPTON HSE RD RT 206				
8/9/2022	John McDonough	PHN C1	Public Health Nuisance - Complaint Investigation	
Town: 1910 Block: 3603 Lot: 9.01 Loc: 66 HAMPTON HSE RD RT 206				
8/29/2022	Melissa McGill	SDW D1	Safe Water - Correspondence	1910347
Town: 1910 Block: 402 Lot: 27 Loc: 44 EAST SHORE DR				
8/4/2022	John McDonough	DWR G4G	Septic Home Inspection Report Review	
Town: 1910 Block: 510 Lot: 10 Loc: 19 EAST BROOK LN				
8/9/2022	John McDonough	DWR G4A	Septic Inspections – Soil Log	
8/9/2022	John McDonough	DWR G4A	Septic Inspections – Soil Log	
8/29/2022	Jennifer Pignataro	DWR G1I	Septic Intake	
Comment: Alt Pump				
<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>	<u>Facility/Address</u>
Town: 1910 Block: 801 Lot: 1.18 Loc: 2 SARAH CT				
8/31/2022	Josephine Sweetman	DWR G1I	Septic Intake	
Comment: repair				
Town: 1910 Block: 802 Lot: 2 Loc: 20 KENT RD				
8/5/2022	John McDonough	DWR G5G	Septic Maintenance Contract Review	
Town: 1910 Block: 802 Lot: 3.07 Loc: 14 POSSAGHI RD				
8/11/2022	John McDonough	DWR G4G	Septic Home Inspection Report Review	
Total records for 1910: 43				

Sussex County Division of Health Inspection Report
for the Period 9/1/2022-9/30/2022
Filters: Town 1910

December 6 2022

Date Inspector Code Type of Inspection

Facility/Address

Town: 1910

9/6/2022 Christine Whitehead BATH A3 Bathing Places - Pre-operational Checklist Review

Kittatinny High School Indoor pool
(no Location) (no Block/Lot)

Town: 1910 Block: 101 Lot: 1 Loc: 2 MOUNTAIN RD

9/19/2022 Josephine Sweetman DWR G1I Septic Intake

Comment: ALT Pump

9/22/2022 Joseph Farinella DWR G1N Septic Reviews Septic New

Comment: New pump

Town: 1910 Block: 1704 Lot: 10 Loc: 102 FENNER RD

9/1/2022 Josephine Sweetman DWR G1I Septic Intake

Comment: ALT ATU

9/6/2022 Zachary Faiola DWR G1AM Septic Reviews Alter with Maintenance

Comment: ALT ATU

Town: 1910 Block: 1706 Lot: 24 Loc: 254 FAIRVIEW AVE

9/27/2022 Jennifer Pignataro DWR G1I Septic Intake

Comment: Alt ATU

9/28/2022 Joseph Farinella DWR G1AM Septic Reviews Alter with Maintenance

Comment: Alt ATU

Town: 1910 Block: 1706 Lot: 31 Loc: 20 LAKETOP DR

9/22/2022 John McDonough DWR G1EC Septic Reviews Engineers Certs

9/22/2022 John McDonough DWR G1AB Septic Reviews As Builts

9/22/2022 John McDonough DWR G5A Certificate of Compliance - Wastewater

Town: 1910 Block: 1706 Lot: 32 Loc: 18 LAKETOP DR

9/13/2022 Joseph Farinella DWR G1AM Septic Reviews Alter with Maintenance

Comment: Alt ATU

Date Inspector Code Type of Inspection

Facility/Address

Town: 1910 Block: 1903 Lot: 19 Loc: 268 NEWTON-SWARTSWOOD RD

9/23/2022 John McDonough DWR G5A Certificate of Compliance - Wastewater

9/22/2022 Jennifer Pignataro DWR G1I Septic Intake

Comment: Repair

9/23/2022 Candice Morgan DWR G1R Septic Reviews Repair

Comment: Repair

Town: 1910 Block: 201 Lot: 15 Loc: 1 MULBERRY LN

9/30/2022 Maria Cuevas-Greco DWR G4A Septic Inspections – Soil Log

Town: 1910 Block: 203 Lot: 19 Loc: 5 WOOD CT

9/6/2022 Joseph Farinella DWR G1AM Septic Reviews Alter with Maintenance

Comment: Alt ATU

Town: 1910 Block: 2602 Lot: 2.16 Loc: 5 TANNER CT

9/6/2022 Josephine Sweetman DWR G2I Well Intake

Comment: new potable

9/14/2022 Candice Morgan DWR G2 Well Reviews

Comment: new potable

Town: 1910 Block: 2702 Lot: 16.03 Loc: 77 HALSEY RD HAMPTON, NJ

9/14/2022 Christine Whitehead FOOD B1S Retail Food Establishments - Facilities Inspected - Satisfactory

Kittatinny Regional High School

Town: 1910 Block: 2704 Lot: 7 Loc: 12 FOREST DR

9/19/2022 John McDonough DWR G4A Septic Inspections – Soil Log

Town: 1910 Block: 2705 Lot: 4 Loc: 3 MAPLE TERR

9/20/2022 John McDonough DWR G4A Septic Inspections – Soil Log

Sussex County Division of Health Inspection Report
for the Period 9/1/2022-9/30/2022
Filters: Town 1910

December 6 2022

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>	<u>Facility/Address</u>
Town: 1910 Block: 3202 Lot: 24 Loc: 92 ROUTE 519 NEWTON, NJ 07860				
9/20/2022	John McDonough	FOOD B1S	Retail Food Establishments - Facilities Inspected - Satisfactory	Northwest Christian School
Town: 1910 Block: 3202 Lot: 34 Loc: 88 SPIROL RD				
9/13/2022	Candice Morgan	PHN A1	Public Health Nuisance - Complaint Received	
Town: 1910 Block: 3301 Lot: 6 Loc: 70 PLOTTS RD				
9/20/2022	John McDonough	SWM-NF C2	Solid Waste - Non Facility - Complaint Investigation - Citizen Complaint	
Town: 1910 Block: 3302 Lot: 1 Loc: 21 OLD SWARTSWOOD RD				
9/2/2022	John McDonough	DWR G4G	Septic Home Inspection Report Review	
9/25/2022	Josephine Sweetman	DWR G1I	Septic Intake	
Comment: repair				
Town: 1910 Block: 3501 Lot: 30.03 Loc: 17 HAMPTON HSE RD RT 206				
9/21/2022	Christine Whitehead	FOOD D1	Retail Food Establishments - Facilities Correspondence	
9/21/2022	Christine Whitehead	FOOD A1	Retail Food Establishments - Plan Review	
9/30/2022	Christine Whitehead	FOOD B1S	Retail Food Establishments - Facilities Inspected - Satisfactory	Hampton Wine & Liquor
Town: 1910 Block: 3501 Lot: 30.09 Loc: 5 HAMPTON HSE RD RT 206				
9/29/2022	Candice Morgan	PET C1	Animal Facility Operation - Complaint Investigation	
Town: 1910 Block: 3603 Lot: 12 Loc: 56 HAMPTON HSE RD RT 206				
9/6/2022	Anita DeMatteo	RTK A1	Right to Know - Survey - Private Facility - NJDEP	
Town: 1910 Block: 3603 Lot: 2 Loc: 18 RT 94				
9/21/2022	John McDonough	PHN A1	Public Health Nuisance - Complaint Received	
Town: 1910 Block: 801 Lot: 1.18 Loc: 2 SARAH CT				
<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>	<u>Facility/Address</u>
9/30/2022	Thomas Bailey	DWR GDB	D Box Inspection	
9/1/2022	Candice Morgan	DWR G1R	Septic Reviews Repair	
Comment: repair				
Town: 1910 Block: 801 Lot: 14 Loc: 62 POSSAGHI RD				
9/13/2022	Josephine Sweetman	DWR G1I	Septic Intake	
Comment: repair				
9/14/2022	Candice Morgan	DWR G1R	Septic Reviews Repair	
Comment: repair				
Town: 1910 Block: 802 Lot: 2 Loc: 30 KENT RD				
9/23/2022	John McDonough	DWR G1AB	Septic Reviews As Builts	
9/23/2022	John McDonough	DWR G1EC	Septic Reviews Engineers Certs	
9/23/2022	John McDonough	DWR G5A	Certificate of Compliance - Wastewater	
Town: 1910 Block: 909 Lot: 6 Loc: 18 SCENIC VIEW RD				
9/22/2022	John McDonough	DWR G1EC	Septic Reviews Engineers Certs	
9/22/2022	John McDonough	DWR G5A	Certificate of Compliance - Wastewater	
9/22/2022	John McDonough	DWR G1AB	Septic Reviews As Builts	

Total records for 1910: 43

Sussex County Division of Health Inspection Report
for the Period 10/1/2022-10/31/2022
Filters: Town 1910

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>
Town: 1910 Block: 2602 Lot: 2.16 Loc: 5 TANNER CT			
10/25/2022	Candice Morgan	DWR G6B	Well Line & Seal
Town: 1910 Block: 2704 Lot: 7 Loc: 12 FOREST DR			
10/3/2022	Jennifer Pignataro	DWR G1I	Septic Intake
Comment: Alt Grav			
10/5/2022	Joseph Farinella	DWR G1A	Septic Reviews Alter
Comment: Alt Grav			
Town: 1910 Block: 2905 Lot: 26 Loc: 620 HEMLOCK DR			
10/3/2022	Josephine Sweetman	DWR G1I	Septic Intake
Comment: ALT gravity			
10/7/2022	Joseph Farinella	DWR G1A	Septic Reviews Alter
Comment: ALT gravity			
Town: 1910 Block: 3017 Lot: 24 Loc: 51 CYPRESS DR			
10/18/2022	John McDonough	DWR GDB	D Box Inspection
10/11/2022	Jennifer Pignataro	DWR G1I	Septic Intake
Comment: Repair			
10/12/2022	Candice Morgan	DWR G1R	Septic Reviews Repair
Comment: Repair			
Town: 1910 Block: 3018 Lot: 22 Loc: 20 BRANCHVILLE-LAWSON RD			
10/31/2022	John McDonough	DWR G4A	Septic Inspections – Soil Log
10/31/2022	John McDonough	DWR G4A	Septic Inspections – Soil Log
Town: 1910 Block: 303 Lot: 13 Loc: 24 PLAZA DR			
10/11/2022	Jennifer Pignataro	DWR G1I	Septic Intake
Comment: Repair			

Printed 11/14/2022 at 3:42:17 PM

Sussex County Division of Health Inspection Report
for the Period 10/1/2022-10/31/2022
Filters: Town 1910

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>
Town: 1910 Block: 2602 Lot: 2.16 Loc: 5 TANNER CT			
10/25/2022	Candice Morgan	DWR G6B	Well Line & Seal
Town: 1910 Block: 2704 Lot: 7 Loc: 12 FOREST DR			
10/3/2022	Jennifer Pignataro	DWR G1I	Septic Intake
Comment: Alt Grav			
10/5/2022	Joseph Farinella	DWR G1A	Septic Reviews Alter
Comment: Alt Grav			
Town: 1910 Block: 2905 Lot: 26 Loc: 620 HEMLOCK DR			
10/3/2022	Josephine Sweetman	DWR G1I	Septic Intake
Comment: ALT gravity			
10/7/2022	Joseph Farinella	DWR G1A	Septic Reviews Alter
Comment: ALT gravity			
Town: 1910 Block: 3017 Lot: 24 Loc: 51 CYPRESS DR			
10/18/2022	John McDonough	DWR GDB	D Box Inspection
10/11/2022	Jennifer Pignataro	DWR G1I	Septic Intake
Comment: Repair			
10/12/2022	Candice Morgan	DWR G1R	Septic Reviews Repair
Comment: Repair			
Town: 1910 Block: 3018 Lot: 22 Loc: 20 BRANCHVILLE-LAWSON RD			
10/31/2022	John McDonough	DWR G4A	Septic Inspections – Soil Log
10/31/2022	John McDonough	DWR G4A	Septic Inspections – Soil Log
Town: 1910 Block: 303 Lot: 13 Loc: 24 PLAZA DR			
10/11/2022	Jennifer Pignataro	DWR G1I	Septic Intake
Comment: Repair			

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>
-------------	------------------	-------------	---------------------------

Town: 1910 Block: 3302 Lot: 1 Loc: 21 OLD SWARTSWOOD RD

10/12/2022	Thomas Bailey	DWR G4A	Septic Inspections – Soil Log
------------	---------------	---------	-------------------------------

10/12/2022	Thomas Bailey	DWR G4A	Septic Inspections – Soil Log
------------	---------------	---------	-------------------------------

10/20/2022	Jennifer Pignataro	DWR G1I	Septic Intake
------------	--------------------	---------	---------------

Comment: Alt ATU

10/21/2022	Joseph Farinella	DWR G1AM	Septic Reviews Alter with Maintenance
------------	------------------	----------	---------------------------------------

Comment: Alt ATU

Town: 1910 Block: 3501 Lot: 30.09 Loc: 5 HAMPTON HSE RD RT 206

10/11/2022	John McDonough	PET C1	Animal Facility Operation - Complaint Investigation
------------	----------------	--------	---

10/25/2022	Brian Snyder	SWM-R-A1	Solid Waste - Recycling - Survey/Questionnaire
------------	--------------	----------	--

10/25/2022	Brian Snyder	SWM-R-A1	Solid Waste - Recycling - Survey/Questionnaire
------------	--------------	----------	--

Town: 1910 Block: 3501 Lot: 30.10 Loc: 3 HAMPTON HSE RD RT 206

10/21/2022	Brian Snyder	SWM-R-A1	Solid Waste - Recycling - Survey/Questionnaire
------------	--------------	----------	--

Town: 1910 Block: 3501 Lot: 37 Loc: 39 HAMPTON HSE RD RT 206

10/24/2022	Brian Snyder	SWM-R-A1	Solid Waste - Recycling - Survey/Questionnaire
------------	--------------	----------	--

Town: 1910 Block: 3501 Lot: 43 Loc: 51 HAMPTON HSE RD RT 206

10/7/2022	Brian Snyder	DWR G4A	Septic Inspections – Soil Log
-----------	--------------	---------	-------------------------------

10/7/2022	Brian Snyder	DWR G4A	Septic Inspections – Soil Log
-----------	--------------	---------	-------------------------------

10/24/2022	Jennifer Pignataro	DWR G1I	Septic Intake
------------	--------------------	---------	---------------

Comment: Alt ATU

10/27/2022	Joseph Farinella	DWR G1AM	Septic Reviews Alter with Maintenance
------------	------------------	----------	---------------------------------------

Comment: Alt ATU

Town: 1910 Block: 3501 Lot: 44.02 Loc: 12 HAMPTON DOWNES RD

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>
-------------	------------------	-------------	---------------------------

10/13/2022	Jennifer Pignataro	DWR G2I	Well Intake
------------	--------------------	---------	-------------

Comment: New Potable

10/17/2022	Candice Morgan	DWR G2	Well Reviews
------------	----------------	--------	--------------

Comment: New Potable

Town: 1910 Block: 3602 Lot: 5.02 Loc: 92 HAMPTON HSE RD RT 206

10/21/2022	John McDonough	HZM C4	Hazmat - NJ DEP Communications Ctr Notification Rpt
------------	----------------	--------	---

Town: 1910 Block: 3603 Lot: 2 Loc: 18 RT 94

10/27/2022	John McDonough	PHN C1	Public Health Nuisance - Complaint Investigation
------------	----------------	--------	--

Town: 1910 Block: 3603 Lot: 25.06 Loc: 22 HAMPTON HSE RD RT 206

10/11/2022	John McDonough	FOOD C1	Retail Food Establishments - Complaint Investigation
------------	----------------	---------	--

Town: 1910 Block: 801 Lot: 14 Loc: 62 POSSAGHI RD

10/7/2022	Thomas Bailey	DWR G4A	Septic Inspections – Soil Log
-----------	---------------	---------	-------------------------------

PUBLIC SESSION

Chairman D. Hansen stated the Annual Reorganization Meeting will be held Tuesday, January 17, 2023. The meetings to be adopted during the Annual Reorganization Meeting will still be the 3rd Tuesday of every other month starting in January 2023.

Chairman D. Hansen stated the Township Committee is changing the public meeting notices in 2023. The Board of Health is following suit of the Township Committee's public meeting advertisement to include the following public meeting notice:

The Hampton Board of Health will hold their Meeting on [insert date] in-person, as well as remotely, if available, at the Hampton Township Municipal Building, 1 Rumsey Way, Baleville, NJ 07860. Prevailing time 7:00 PM. Meetings may also be conducted remotely only at the discretion of the Administrator or Chairperson; and notice of a remote-only meeting shall be posted on the Hampton Township website in advance thereof. To attend the meeting remotely use the following link: <https://us02web.zoom.us/j/4402561511> or to attend the meeting by phone, dial 929 205 6099 (Meeting ID: 440 256 1551). Formal action may be taken.

Chairman D. Hansen stated changing the wording will allow the Board of Health to conduct business remotely in the case of inclement weather and decreasing the chance of having to cancel a meeting.

ADJOURNMENT

A **MOTION** was made by T. Cassidy and seconded by S. Rude, with all members in favor, to adjourn the meeting at 7:34 P.M.

Respectfully submitted by,



Diana Juarez

Board of Health Secretary