

**BOARD OF HEALTH MINUTES  
JULY 17, 2018**

**THE MINUTES HAVE NOT BEEN FORMALLY APPROVED AND ARE SUBJECT TO CHANGE OR MODIFICATION AT THE NEXT REGULARLY SCHEDULED MEETING.**

**FLAG SALUTE:** Led by Chairman Dave Hansen at 7:03 pm.

**ROLL CALL:** **BOARD OF HEALTH MEMBERS - Present:** Ed Hayes, Sue Rude, John Parks, Terry Cassidy, Peggy Bopp, Nancie Walker, Dave Hansen, Barbara Horan

**Also Present:** Chrissy Whitehead, Sussex County Board of Health Inspector; Valerie Galizia, Board of Health Secretary

**Absent:** Donna Morris

**STATEMENT** – Chairman D. Hansen stated that the meeting was being held in compliance with the provisions of P. L. 1875, Ch. 231, Secs. 4 & 13 the Sunshine Law, adequate notice of the meeting has been published in the New Jersey Herald being the Sunday and Daily editions as to time, place, and date, and is posted in the usual location of posted notices in the municipal building.

**CONSENT AGENDA-** All items with an Asterisk (\*) are considered routine and non-controversial by the committee and will be approved by one motion. There will be no separate discussion of these items unless a citizen or Board Member requests, in which case the item will be removed from the Consent Agenda and considered in its normal sequence on the Agenda.

**\*MINUTES:** March 20, 2018

**\*PUBLIC HEALTH NURSING REPORTS FOR JUNE 2018**

**\*SUSSEX COUNTY HEALTH DEPARTMENT REPORTS FOR  
MARCH, APRIL, MAY, JUNE 2018**

### Period from 03/01/2018 to 03/31/2018

Date	Blk/Lot	Facility	Location	Activity
<b>Activity for (1910) Hampton Township</b>				
3/12/2018	3501/30.09	McDonald's Restaurant	7 HAMPTON HOUSE RD NEWTON, NJ 07860	FOOD B1/Retail Food Establishments - Facilities Inspected (Maureen Theese)
3/22/2018	2702/16.01	Mc Keown School	1 SCHOOL RD NEWTON, NJ 07860	FOOD B1/Retail Food Establishments - Facilities Inspected (Christine Whitehead)
3/29/2018	3501/30.04	Subway	ROUTE 206 HAMPTON, NJ	FOOD B1/Retail Food Establishments - Facilities Inspected (Christine Whitehead)
				<b>Total Food: 3</b>

3/2/2018	2501.01/17		10 Chandoga Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/2/2018	3105/31		173 Halsey Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/2/2018	2702/19		52 Church Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/2/2018	2501/8.05		3 Bear Lane	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/2/2018	2501/8.05		3 Bear Lane	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/2/2018	2702/19		52 Church Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/8/2018	26.02/1		20 Blossom Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/8/2018	3105/4		177 County Route 519	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/8/2018	1702/4		279 Fairview Avenue	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/8/2018	3501/20		75 Route 519	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)

### Period from 03/01/2018 to 03/31/2018

Date	Blk/Lot	Facility	Location	Activity
3/9/2018	3109/19		38 Glen Crest Drive	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/9/2018	1604/1		297 Lakeview Drive	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
3/15/2018	504/9		23 E. SHORE DRIVE	DWR G4C/Septic Inspections – Suitable Fill/Disposal (Christine Whitehead)
3/16/2018	504/9		23 E. SHORE DRIVE	DWR G4E/Septic Inspections – Final (Christine Whitehead)
3/23/2018	504/9		23 E Shore Trail	DWR G4D/Septic Inspections – Suitable Fill/Treatment (Christine Whitehead)
3/29/2018	101/8		24 Mountain Road	DWR G4B/Septic Inspections - Excavation (Christine Whitehead)
3/29/2018	504/9		23 E Shore Trail	DWR G4C/Septic Inspections – Suitable Fill/Disposal (Christine Whitehead)
				<b>Total Septic: 17</b>

3/12/2018	/	case 7611 dog		BITE D1/Rabies - Correspondence (Michelle Kinney)
3/12/2018	/	case 7611 dog		BITE B1/Rabies - Animal Quarantined (Michelle Kinney)
3/12/2018	/	case 7611 dog		BITE A1/Rabies - Rabies Case Received (Maureen Slack)
3/13/2018	/	Suburban Propane LLC	Route 206 N	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Jennifer Terwilliger)
3/13/2018	/	FirstEnergy Corp./JCP&L Newton Office	112 Hampton House Road	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Jennifer Terwilliger)
3/13/2018	/	Intercar Inc.	92 Hampton House Road	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Jennifer Terwilliger)
3/13/2018	/	Lowes Home Centers LLC	39 Hampton House Road	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Jennifer Terwilliger)

### Period from 03/01/2018 to 03/31/2018

Date	Blk/Lot	Facility	Location	Activity
3/13/2018	/	Sussex Imports Inc.	57 Hampton House Road	RTK A1/Right to Know - Survey - Private Facility - NJDEP (Jennifer Terwilliger)
3/14/2018	3501/47	Hampton Mini Mall	89 Route 206	SDW E2/Safe Water - Enforcement Action - Summons/Penalty Action (Marcia Chirico)
3/14/2018	3501/47	Hampton Convenience	Hampton House Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
3/16/2018	3501/47	Hampton Convenience	Hampton House Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
3/19/2018	3501/30.06	Hampton Quick Chek	Route 206	SDW D1/Safe Water - Correspondence (Marcia Chirico)
3/19/2018	3105/1.02	Animal Hospital of Sussex County	169 US Highway 206	PET B1/Animal Facility Operations - Facility Inspection (Gary Bielen)
3/19/2018	3105/1.02	Animal Hospital of Sussex County	169 US Highway 206	PET B1/Animal Facility Operations - Facility Inspection (Zerlina MacDonald)
3/22/2018	3603/12	JCP&L	56 Hampton House Road	SDW E3/Safe Water - Enforcement Action - Settlement Conference (Marcia Chirico)
3/26/2018	3603/10	Newton Animal Hospital	116 Hampton House Road	PET B1/Animal Facility Operations - Facility Inspection (Zerlina MacDonald)
3/27/2018	3603/12	JCP&L	56 Hampton House Road	SDW E5/Safe Water - Enforcement Action - Settlement Agreement (Marcia Chirico)
				<b>Total Other: 17</b>

Total for March 2018 **37**

### Period from 04/01/2018 to 04/30/2018

Date	Blk/Lot	Facility	Location	Activity
<b>Activity for (1910) Hampton Township</b>				
4/5/2018	2702/16.04	Kittatinny Little League Snack Shack	5 RUMSEY WAY NEWTON, NJ 07860	FOOD B1/Retail Food Establishments - Facilities Inspected (Christine Whitehead)
4/16/2018	3501/30.04	HoHo V	21 HAMPTON HOUSE RD NEWTON, NJ 07860	FOOD B1/Retail Food Establishments - Facilities Inspected (Christine Whitehead)
				<b>Total Food: 2</b>
4/2/2018	101/8		24 mountain road	DWR G4C/Septic Inspections - Suitable Fill/Disposal (Christine Whitehead)
4/2/2018	101/8		24 MOUNTAIN ROAD	DWR G4C/Septic Inspections - Suitable Fill/Disposal (Christine Whitehead)
4/3/2018	506/13		10 glenbrook road	DWR G1/Septic Intake (Maureen Slack)
4/9/2018	3501/75		8 HAMPTON DOWN ROAD	DWR G1/Septic Intake (Tyann Acevedo)
4/9/2018	2704/9		8 FOREST DRIVE	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
4/9/2018	1204/2		285 FAIRVIEW AVENUE	OPRA SDS/Information Request - Septic System-Parcel (Stacie Andre)
4/9/2018	101/8		24 MOUNTAIN ROAD	DWR G4E/Septic Inspections - Final (Christine Whitehead)
4/9/2018	101/8		24 MOUNTAIN ROAD	DWR G4E/Septic Inspections - Final (Christine Whitehead)
4/12/2018	101/8		24 MOUNTAIN ROAD	DWR G4F/Septic Inspections - Grading (Christine Whitehead)
4/17/2018	504/9		23 E SHORE TRAIL	DWR G4F/Septic Inspections - Grading (Christine Whitehead)
4/17/2018	904/7		22 LAKE ROAD	DWR G4A/Septic Inspections - Soil Log (Christine Whitehead)

**Period from 04/01/2018 to 04/30/2018**

Date	Blk/Lot	Facility	Location	Activity
4/17/2018	904/7		22 LAKE ROAD	DWR G4A/Septic Inspections – Soil Log (Christine Whitehead)
4/18/2018	3008/9		202 Birchwood Lane	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
4/18/2018	3501/49		164 Halsey Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
4/18/2018	3501/49		164 Halsey Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
4/18/2018	3008/9		202 Birchwood Lane	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
4/19/2018	1402/3		219 Lakeview Drive	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
4/19/2018	2702/23		45 Branchville Lawson Road	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
4/19/2018	3701/9		7 Wood Run	OPRA SDS/Information Request - Septic System-Parcel (Trish Springer)
4/23/2018	206/30		6 Bassett Lane	OPRA SDS/Information Request - Septic System-Parcel (Trish Springer)
4/24/2018	3701/9		7 WOOD RUN	DWR G1I/Septic Intake (Tyann Acevedo)
4/25/2018	101/8		24 MOUNTAIN ROAD	DWR G1EC/Septic Reviews Engineers Certs (Christine Whitehead)
4/25/2018	101/8		24 MOUNTAIN ROAD	DWR G5A/Certificate of Compliance - Wastewater (Christine Whitehead)
4/25/2018	101/8		24 MOUNTAIN ROAD	DWR G1AB/Septic Reviews As Builts (Christine Whitehead)
4/27/2018	904/7		22 LAKE ROAD	OPRA SDS/Information Request - Septic System-Parcel (Tyann Acevedo)
4/27/2018	3701/9		7 WOOD RUN	DWR GT/Septic Tank Replacement (Christine Whitehead)

**Period from 04/01/2018 to 04/30/2018**

Date	Blk/Lot	Facility	Location	Activity
				<b>Total Septic: 26</b>
4/5/2018	2802/5		Highland Avenue	DWR G2I/Well Intake (Maureen Slack)
4/6/2018	1801.01/54		68 Mary Jones Road	DWR G6B/Well Line & Seal (Maureen Theese)
4/12/2018	1801.01/54		68 MARY JONES ROAD	DWR G6B/Well Line & Seal (Maureen Theese)
4/17/2018	2602/2.14		6 TANNER COURT	DWR G2I/Well Intake (Tyann Acevedo)
4/18/2018	1801.01/54		68 MARY JONES ROAD	DWR G6B/Well Line & Seal (Maureen Theese)
				<b>Total Well: 5</b>
4/3/2018	3603/2	Carriage Acres Mobile Home Park		DWR C2/Water Pollution - Complaint Investigation - Citizen Complaint (Christine Whitehead)
4/4/2018	3105/1.02	Animal Hospital of Sussex County	169 US Highway 206	PET D1/Animal Facility Operation - Correspondence (Zerlina MacDonald) <i>water test</i>
4/5/2018	3501/47	Hampton Convenience	Hampton House Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
4/5/2018	3501/37	Lowe's	Hampton House Road	SDW D1/Safe Water - Correspondence (Marcia Chirico) <i>water system inspection</i>
4/11/2018	3501/47	Hampton Convenience	Hampton House Road	SDW E3/Safe Water - Enforcement Action - Settlement Conference (Marcia Chirico)
4/11/2018	3501/37	Lowe's Retail Store #1976	39 Hampton House Road	SDW A1/Safe Water - Facility - Non-Transient System (Marcia Chirico)
4/11/2018	3501/47	Hampton Mini Mall	89 Route 206	SDW E5/Safe Water - Enforcement Action - Settlement Agreement (Marcia Chirico)



### Period from 04/01/2018 to 04/30/2018

Date	Blk/Lot	Facility	Location	Activity
4/11/2018	3501/30.09	Pet Smart	5 Hampton House Road	PET B1/Animal Facility Operations - Facility Inspection (Christine Whitehead)
4/13/2018	3603/25.12	Walmart	26 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
4/13/2018	3603/25.12	Walmart #2604	26 Hampton House Road	SDW A1/Safe Water - Facility - Non-Transient System (Marcia Chirico)
4/17/2018	102/32		10 Andover Road	SWM-F C2/Solid Waste - Facility - Complaint Investigation - Citizen Complaint (Christine Whitehead) <i>Garbage Complaint - none</i>
4/18/2018	1504/4		300 Lakeview Drive	UST C1/Spills/Storage Tank - Complaint Investigations - DEP Referral (Christine Whitehead) <i>Tractor Leaking oil - none</i>
4/19/2018	1504/4		300 Lakeview Drive	UST C1/Spills/Storage Tank - Complaint Investigations - DEP Referral (Christine Whitehead) <i>↓</i>
4/24/2018	3301/19	Camp Auxilium	14 Old Swartswood Road	SDW A1/Safe Water - Facility - Non-Transient System (Marcia Chirico)
4/25/2018	3301/18	Camp Auxilium	14 Old Swartswood Road	SDW C1/Safe Water - Complaint Investigation - DEP Referral (Marcia Chirico)
4/25/2018	3301/19	Camp Auxilium	14 Old Swartswood Road	SDW A1/Safe Water - Facility - Non-Transient System (Marcia Chirico)
4/25/2018	3301/19	Camp Auxilium	14 Old Swartswood Road	SDW A1/Safe Water - Facility - Non-Transient System (Marcia Chirico)
4/27/2018	3603/12	JCP&L	56 Hampton House Road	SDW E5/Safe Water - Enforcement Action - Settlement Agreement (Marcia Chirico) <i>Settlement</i>
4/27/2018	3603/25.12	Walmart	Hampton House Road	SWM-NF C1/Solid Waste - Non Facility - Complaint Investigation - NJDEP Referral (Christine Whitehead)
				Total Other: 19

### Period from 04/01/2018 to 04/30/2018

Date	Blk/Lot	Facility	Location	Activity
				Total for April 2018 52

#### Sussex County Division of Health Inspection Report for the Period 5/01/2018-5/31/2018 Filters: Town 1910

Date	Inspector	Code	Type of Inspection	Facility/Address
Town: 1910				
5/16/2018	Christine Whitehead	FOOD 12K	Retail Food Establishments - Field Investigation	Power Outage-Phone Calls Several Restaurants (no Block/Lot)
5/17/2018	Tyann Acevedo	BITE A1	Rabies - Rabies Case Received	RABIES CASE # 7689 HAMPTON TWP (no Block/Lot)
5/17/2018	Tyann Acevedo	BITE C1	Rabies - Speciman Sent for Testing	RABIES CASE # 7689 HAMPTON TWP (no Block/Lot)
5/17/2018	Tyann Acevedo	BITE D1	Rabies - Correspondence	RABIES CASE # 7689 HAMPTON TWP (no Block/Lot)
5/17/2018	Jennifer Shortino	FOOD A1	Retail Food Establishments - Plan Review	Don-Pepsi's Ent. Temp Food Hampton Day (no Block/Lot)
5/29/2018	Christine Whitehead	CAMP B1	Public Campgrounds - Facilities Inspected	Windy Acres 294 Newton Swartswood Road (no Block/Lot)
5/30/2018	Jennifer Shortino	FOOD A1	Retail Food Establishments - Plan Review	Chefs, LLC Hampton Day (no Block/Lot)
Town: 1910 Block: 1502 Lot: 12.08 Loc: 273 Lakeview Drive				
5/17/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
Town: 1910 Block: 1601 Lot: 13 Loc: 235 Fairview Avenue				
5/10/2018	Christine Whitehead	PHN C1	Public Health Nuisance - Complaint Investigation	
5/21/2018	Christine Whitehead	PHN C2	Public Health Nuisance - Complaint Investigation Follow-up	
Town: 1910 Block: 1709 Lot: 19 Loc: 265 FAIRVIEW AVE				
5/24/2018	Tyann Acevedo	DWR G1I	Septic Intake	
Comment: REPAIR				

Sussex County Division of Health Inspection Report  
for the Period 5/01/2018-5/31/2018  
Filters: Town 1910

<a href="#">Date</a>	<a href="#">Inspector</a>	<a href="#">Code</a>	<a href="#">Type of Inspection</a>	<a href="#">Facility/Address</a>
Town: 1910 Block: 1801 Lot: 20 Loc: 45 Route 521				
5/30/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
Town: 1910 Block: 2002 Lot: 7 Loc: 16 West Lakeside Lane				
5/3/2018	Maureen Slack	DWR G1I	Septic Intake	
Town: 1910 Block: 2602 Lot: 2.14 Loc: 6 TANNER CT				
5/18/2018	Christine Whitehead	DWR G4B	Septic Inspections - Excavation	
5/30/2018	Christine Whitehead	DWR G6B	Well Line & Seal	
5/30/2018	Christine Whitehead	DWR G4C	Septic Inspections – Suitable Fill/Disposal	
Town: 1910 Block: 2702 Lot: 16.03 Loc: 77 HALSEY RD HAMPTON, NJ				
5/3/2018	Christine Whitehead	FOOD B1	Retail Food Establishments - Facilities Inspected	Kittatinny Regional High School
Town: 1910 Block: 2702 Lot: 16.04 Loc: Municipal Complex Road				
5/9/2018	Marcia Chirico	SDW D1	Safe Water - Correspondence	Hampton Township Memorial Park
Town: 1910 Block: 2705 Lot: 6 Loc: 4 Over Look Court				
5/14/2018	Joseph Farinella	DWR G3	Building Addition	
Town: 1910 Block: 2901 Lot: 1 Loc: 1004 Hillside Avenue				
5/4/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
5/4/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
5/30/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
Town: 1910 Block: 3004 Lot: 9 Loc: 87 CRESCENT DRIVE				
5/31/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/31/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
Town: 1910 Block: 3008 Lot: 9 Loc: 202 BIRCHWOOD LANE				

Sussex County Division of Health Inspection Report  
for the Period 5/01/2018-5/31/2018  
Filters: Town 1910

<a href="#">Date</a>	<a href="#">Inspector</a>	<a href="#">Code</a>	<a href="#">Type of Inspection</a>	<a href="#">Facility/Address</a>
5/29/2018	Tyann Acevedo	DWR G1I	Septic Intake	
Comment: REPAIR				
Town: 1910 Block: 302 Lot: 31 Loc: 117 West Shore Drive				
5/9/2018	Christine Whitehead	PHN C1	Public Health Nuisance - Complaint Investigation	
5/21/2018	Christine Whitehead	PHN C2	Public Health Nuisance - Complaint Investigation Follow-up	
Town: 1910 Block: 302 Lot: 34 Loc: 121 West Shore Drive				
5/10/2018	Christine Whitehead	PHN C1	Public Health Nuisance - Complaint Investigation	
Town: 1910 Block: 302.01 Lot: 68 Loc: 31 PLAZA DRIVE				
5/22/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
Town: 1910 Block: 3105 Lot: 1 Loc: 125 HAMPTON HOUSE RD				
5/29/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/29/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
Town: 1910 Block: 3202 Lot: 57 Loc: CR 519				
5/31/2018	Maureen Slack	DWR G2I	Well Intake	
Town: 1910 Block: 3301 Lot: 18 Loc: 14 Old Swartswood Road				
5/7/2018	Marcia Chirico	SDW D1	Safe Water - Correspondence	Camp Auxilium
Town: 1910 Block: 3301 Lot: 23 Loc: 54 Plotts Road				
5/17/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
Town: 1910 Block: 3501 Lot: 36 Loc: 37 HAMPTON HOUSE RD HAMPTON, NJ				
5/11/2018	Christine Whitehead	FOOD B1	Retail Food Establishments - Facilities Inspected	Dairy Queen
Town: 1910 Block: 3501 Lot: 75 Loc: 8 HAMPTON DOWNS				
5/8/2018	Christine Whitehead	DWR GDB	D Box Inspection	
Town: 1910 Block: 3501 Lot: 82.02 Loc: Camre Drive				

Sussex County Division of Health Inspection Report  
for the Period 5/01/2018-5/31/2018  
Filters: Town 1910

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>	<u>Facility/Address</u>
5/31/2018	Maureen Slack	DWR G2I	Well Intake	
Town: 1910 Block: 3602 Lot: 2.05 Loc: sid taylor road				
5/21/2018	Maureen Slack	DWR G1I	Septic Intake	
5/24/2018	Christine Whitehead	DWR GT	Septic Tank Replacement	
Town: 1910 Block: 3603 Lot: 12 Loc: 56 Hampton House Road				
5/1/2018	Marcia Chirico	SDW E5	Safe Water - Enforcement Action - Settlement Agreement	JCP&L
5/2/2018	Marcia Chirico	SDW E5	Safe Water - Enforcement Action - Settlement Agreement	JCP&L
5/2/2018	Marcia Chirico	SDW E5	Safe Water - Enforcement Action - Settlement Agreement	JCP&L
Town: 1910 Block: 3603 Lot: 25.12 Loc: 26 Hampton House Road				
5/7/2018	Marcia Chirico	SDW A3	Safe Water - Facility - Follow/Reinspection	Walmart
5/14/2018	Marcia Chirico	SDW D1	Safe Water - Correspondence	Walmart
Town: 1910 Block: 3603 Lot: 25.13 Loc: 20 Hampton House Road				
5/17/2018	Dan Pelt	SDW A2	Safe Water - Facility - Transient System	Newton Kia (Kia of Sussex)
5/17/2018	Marcia Chirico	SDW A2	Safe Water - Facility - Transient System	Newton Kia (Kia of Sussex)
5/18/2018	Marcia Chirico	SDW D1	Safe Water - Correspondence	Kia
5/25/2018	Marcia Chirico	SDW A2	Safe Water - Facility - Transient System	Newton Kia (Kia of Sussex)
Comment: NJEMS				
5/25/2018	Marcia Chirico	SDW A2	Safe Water - Facility - Transient System	Newton Kia (Kia of Sussex)
5/30/2018	Marcia Chirico	SDW D1	Safe Water - Correspondence	Kia
Town: 1910 Block: 3603 Lot: 9 Loc: 66 HAMPTON HOUSE RD				
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	

Sussex County Division of Health Inspection Report  
for the Period 5/01/2018-5/31/2018  
Filters: Town 1910

<u>Date</u>	<u>Inspector</u>	<u>Code</u>	<u>Type of Inspection</u>	<u>Facility/Address</u>
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
5/10/2018	Christine Whitehead	DWR G4A	Septic Inspections – Soil Log	
Town: 1910 Block: 3606.01 Lot: 20.03 Loc: Oriole Terrace				
5/21/2018	Maureen Theese	BATH B1	Bathing Places - Facilities Inspected	Hampton Commons Pool
Town: 1910 Block: 504 Lot: 9 Loc: 23 E. SHORE TRAIL				
5/4/2018	Christine Whitehead	DWR G5A	Certificate of Compliance - Wastewater	
5/4/2018	Christine Whitehead	DWR G1EC	Septic Reviews Engineers Certs	
5/4/2018	Christine Whitehead	DWR G1AB	Septic Reviews As Built	
Town: 1910 Block: 801 Lot: 1.06 Loc: 25 Copeley Road				
5/4/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	
Town: 1910 Block: 901 Lot: 8.03 Loc: 41 Possaghi Road				
5/8/2018	Anita DeMatteo	UST C1	Spills/Storage Tank - Complaint Investigations - DEP Referral	
5/8/2018	Anita DeMatteo	UST C1	Spills/Storage Tank - Complaint Investigations - DEP Referral	
Town: 1910 Block: 904 Lot: 7 Loc: 22 LAKE ROAD				
5/8/2018	Tyann Acevedo	DWR G1I	Septic Intake	
Comment: ALTER				
5/30/2018	Christine Whitehead	DWR G4B	Septic Inspections - Excavation	
5/31/2018	Christine Whitehead	DWR G4C	Septic Inspections – Suitable Fill/Disposal	

Sussex County Division of Health Inspection Report  
for the Period 5/01/2018-5/31/2018  
Filters: Town 1910

Date	Inspector	Code	Type of Inspection	Facility/Address
5/31/2018	Christine Whitehead	DWR G4C	Septic Inspections – Suitable Fill/Disposal	
Comment: TANK				
Town: 1910 Block: 905 Lot: 3 Loc: 3 Blueberry Drive				
5/18/2018	Maureen Theese	DWR G4G	Septic Home Inspection Report Review	

Total records for 1910: 70

Period from 06/01/2018 to 06/30/2018

Date	Blk/Lot	Facility	Location	Activity
<b>Activity for (1910) Hampton Township</b>				
6/1/2018	/	Hampton Fire & Rescue	Hampton Day	FOOD D1/Retail Food Establishments - Facilities Correspondence (Jennifer Shortino)
6/2/2018	/	Hampton Fire Rescue	Hampton Day, Hampton Twp Park	FOOD B5/Retail Food Establishments - Facilities Inspected - Temp (Christine Whitehead)
6/2/2018	/	Pepsis Enterprises	Hampton Day, Hampton Twp Park	FOOD B5/Retail Food Establishments - Facilities Inspected - Temp (Christine Whitehead)
6/2/2018	/	Chef's LLC	Hampton Day, Hampton Twp Park	FOOD B5/Retail Food Establishments - Facilities Inspected - Temp (Christine Whitehead)
6/14/2018	3301/19	Camp Auxilium	14 OLD SWARTSWOOD RD HAMPTON, NJ	FOOD B1/Retail Food Establishments - Facilities Inspected (Christine Whitehead)
				<b>Total Food: 5</b>
6/1/2018	3008/9		202 BIRCHWOOD DRIVE	DWR GDB/D Box Inspection (Maureen Theese)
6/1/2018	3008/9		202 BIRCHWOOD DRIVE	DWR GB/Baffle Repair (Maureen Theese)
6/4/2018	505/6		33 Lone Pine Trail	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)
6/4/2018	904/7		22 LAKE ROAD	DWR G4E/Septic Inspections – Final (Christine Whitehead)
6/4/2018	1709/19		265 FAIRVIEW AVE	DWR GB/Baffle Repair (Christine Whitehead)
6/5/2018	2602/2.14		6 TANNER CT	DWR GT/Septic Tank Replacement (Maureen Theese)
6/5/2018	2602/2.14		6 TANNER CT	DWR G4E/Septic Inspections – Final (Maureen Theese)



**Period from 06/01/2018 to 06/30/2018**

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
6/5/2018	3004/9		37 Crescent Drive	DWR G1/Septic Intake (Maureen Slack)
6/6/2018	904/7		22 LAKE ROAD	DWR G4F/Septic Inspections – Grading (Christine Whitehead)
6/6/2018	3501/82.02		2 Camre Drive	DWR G2N/Septic Reviews Well New (Joseph Farinella)
6/6/2018	2704/9		8 Forest Drive	DWR G1/Septic Intake (Maureen Slack)
6/11/2018	206/30		6 BASSETT LANE	DWR G4A/Septic Inspections – Soil Log (Maureen Theese)
6/11/2018	206/30		6 BASSETT LANE	DWR G4A/Septic Inspections – Soil Log (Maureen Theese)
6/13/2018	505/6		33 LONE PINE TR	DWR G4A/Septic Inspections – Soil Log (Christine Whitehead)
6/13/2018	505/6		33 LONE PINE TR	DWR G4A/Septic Inspections – Soil Log (Christine Whitehead)
6/15/2018	2602/2.14		6 TANNER CT	DWR G4F/Septic Inspections – Grading (Christine Whitehead)
6/18/2018	2702/19		52 CHURCH STREET	DWR G1/Septic Intake (Tyann Acevedo)
6/18/2018	2701/10.05		84 Branchville Lawson Road	DWR G1/Septic Intake (Maureen Slack)
6/19/2018	506/13		10 GLENBROOK DR	DWR G4B/Septic Inspections - Excavation (Christine Whitehead)
6/19/2018	2701/18.05		84 Branchville Lawson Road	DWR GDB/D Box Inspection (Christine Whitehead)
6/19/2018	2701/18.05		84 Branchville Lawson Road	DWR G1R/Septic Reviews Repair (Joseph Farinella)
6/21/2018	603/2		79 Lone Pine Trail	DWR G4G/Septic Home Inspection Report Review (Maureen Theese)

**Period from 06/01/2018 to 06/30/2018**

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
6/22/2018	506/13		10 GLENBROOK DR	DWR G4B/Septic Inspections - Excavation (Christine Whitehead)
6/22/2018	2702/19		52 CHURCH ROAD	DWR GDB/D Box Inspection (Christine Whitehead)
6/25/2018	506/13		10 GLENBROOK DR	DWR G4C/Septic Inspections – Suitable Fill/Disposal (Christine Whitehead)
6/25/2018	2704/9		8 FOREST DRIVE	DWR GDB/D Box Inspection (Christine Whitehead)
6/26/2018	3501/82.02		2 CAMRE DR	DWR G4B/Septic Inspections - Excavation (Christine Whitehead)
6/27/2018	101/24		96 LAKE SHORE RD E	DWR G4E/Septic Inspections – Final (Veronica Copp)
6/27/2018	1802/6		71 ROUTE 521	DWR G1/Septic Intake (Tyann Acevedo)
6/29/2018	101/24		96 LAKE SHORE RD E	DWR G4E/Septic Inspections – Final (Veronica Copp)
6/29/2018	3501/82.02		2 CAMRE DRIVE	DWR G4C/Septic Inspections – Suitable Fill/Disposal (Christine Whitehead)
				<b>Total Septic: 31</b>
6/26/2018	3202/57		36 ROUTE 519	DWR G6B/Well Line & Seal (Christine Whitehead)
6/26/2018	101/8		24 mountain road	DWR G2/Well Intake (Maureen Slack)
				<b>Total Well: 2</b>
6/4/2018	3603/25.13	Kia	20 Hampton House Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
6/4/2018	3603/25.13	Kia	20 Hampton House Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)

**Period from 06/01/2018 to 06/30/2018**

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
6/6/2018	2802/5		213 Highland Avenue	PHN C1/Public Health Nuisance - Complaint Investigation (Christine Whitehead)
6/7/2018	3603/25.13	Kia	20 Hampton House Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
6/8/2018	3603/29.01	Toyota World	66 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
6/11/2018	2002/2		6 West Lakeside Lane	DEQ-N C2/Noise - Complaint Investigation - Citizen Complaint (Christine Whitehead)
6/11/2018	3603/29.01	Toyota World	66 Hampton House Road	SDW A3/Safe Water - Facility - Follow/Reinspection (Marcia Chirico)
6/12/2018	904/7		22 Lake Road	DWR C1/Water pollution - Complaint Investigation - NJDEP Referral (Christine Whitehead)
6/13/2018	2702/16.03	Kittatinny Regional High School	77 Halsey Road	BATH D1/Bathing Places - Correspondence (Christine Davay)
6/14/2018	1905/2	Windy Acres Campground	294 Newton Swartwood Road	CAMP B2/Public Campgrounds - Facilities Re-Inspected (Christine Whitehead)
6/15/2018	3603/25.13	Kia	20 Hampton House Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)
6/19/2018	/	Kemah Lake	Beach 1	BATH A1/Bathing Places - Plan Review (Jennifer Shortino)
6/19/2018	/	Crandon Lakes CC	Beach	BATH A1/Bathing Places - Plan Review (Jennifer Shortino)
6/20/2018	506/13		10 Begraft Drive	DWR E4/Water Pollution - Enforcement Action - Court Action (Christine Whitehead)
6/21/2018	3501/30.06	Quick Chek	1 Hampton House Road	SDW A2/Safe Water - Facility - Transient System (Marcia Chirico)
6/21/2018	3301/18	Camp Auxilium	14 Old Swartwood Road	SDW D1/Safe Water - Correspondence (Marcia Chirico)

Total Other: 16

**Period from 06/01/2018 to 06/30/2018**

<i>Date</i>	<i>Blk/Lot</i>	<i>Facility</i>	<i>Location</i>	<i>Activity</i>
				Total for June 2018
				54

**CONSENT AGENDA ITEMS TO BE DISCUSSED SEPARATELY****Rabies Correspondence on 3/12/2018**

Health Inspector C. Whitehead stated that she does not receive information on the animal bites but that she would look into it and report back at the next meeting.

**Complaint Investigation at 117 West Shore Drive on 5/9/2018**

Health Inspector C. Whitehead stated that this complaint was from a resident stating that there were garbage bags on the property. When Health Inspector C. Whitehead went to

investigate, she noted that the bags were just next to the house and that the following week they were gone. No further action needed.

### **Complaint Investigation at 121 West Shore Drive on 5/10/2018**

Health Inspector C. Whitehead stated that this was another garbage and bulk item complaint on this property. She stated that there was a dumpster there and that the people seemed to be cleaning the house out.

A **MOTION** was made by T. Cassidy and seconded by N. Walker, with all members in favor, to approve the items removed from the Consent Agenda.

### **OLD BUSINESS**

#### **1. Court Appearance Update at 10 Glenbrook Drive on 12/20/2017 Update: C. Whitehead**

Health Inspector C. Whitehead stated that she went to court with Mr. Begraft last week. He had two extensions to finish the septic system. He started the excavation in June to start the septic system. The final inspection was done, but he still needs to fill everything in, seed it, and put hay on it. He received the max penalty for not finishing on time of \$2,500 which was paid to Hampton Township. He could receive another penalty for still not fully being completed but C. Whitehead is trying to work with him. She will be going back to the property on August 2<sup>nd</sup> to inspect and if the fill and other required items are not done by then she will give him another summons for not being in compliance.

### **NEW BUSINESS**

No new business.

### **CORRESPONDENCE**

#### **1. PennJersey Environmental Consulting Portable Water Sampling Access Request**

Chairman D. Hansen stated that PennJersey Environmental Consulting is investigating groundwater contamination identified on the former Spartan Oil Company located at 35 Hampton House Road. During the investigation, elevated levels of benzene were detected in the groundwater. This contaminant belongs to a class of chemicals known as volatile organic compounds (VOCs). At this time, the extent of the Spartan Oil Company groundwater plume is known to not exceed the boundary of the Spartan Oil site.

Due to the presence of private potable wells within Hampton Township, PennJersey has conducted a door-to-door survey of all properties within 250-foot up gradient, and 500-foot side gradient and 500- feet down gradient of the known extent of the groundwater contamination. As

such, PennJersey is requesting access to evaluate your potable water supply for potential, but unlikely, impacts from the contamination exhibited at the former Spartan Oil Company Hampton Terminal site as part of the investigation of this site. The questionnaire and sampling will be done at the following locations; Advanced Auto Parts, Dairy Queen, Hampton Diner, and Sussex Mattress/AAA Insurance & Travel.

### **PUBLIC SESSION**

Public session opened. No public comment. Public session closed.

### **ADJOURNMENT**

**A MOTION** was made by T. Cassidy, and seconded by E. Hayes, with all members in favor, to adjourn the meeting at 7:23 PM.

Respectfully submitted by,

Valerie L. Galizia  
Board of Health Secretary